


Index



Maryland State
Highway Administration

A

AASHO. *See* American Association of State Highway Officials

AASHTO. *See* American Association of State Highway and Transportation Officials

Abbreviations

acceptable, 1A-16-18

on freeway and expressway signs, 2E-7

on traffic control devices, 1A-15-20

unacceptable, 1A-20

used with a prompt word, 1A-19

Accessibility

“Accessible Pedestrian Signals,” 1A-10

“The Americans with Disabilities Act Accessibility Guidelines for Buildings and Facilities (ADAAG),” 1A-10

“Building a True Community-Final Report-Public Rights-of-Way

Access Advisory Committee (PRWAAC),” 1A-10

temporary traffic control considerations, 6D-3-4

Accessible pedestrian signals

defined, 1A-11, 4A-1

detectors, 4E-7

recommended pushbutton locations for, 4E-8

uses of, 4E-2, 4-5

“Accessible Pedestrian Signals,” 1A-10

Accommodations Services signs, 2H-1

Active grade crossing warning systems

defined, 1A-11, 4A-1

Activity areas

for temporary traffic control, 6C-5-6

Actuated operations

defined, 4A-1

Actuation

defined, 4A-1

Added Lane signs, 2C-19

Adult guards

“Adult School Crossing Guards,” 7E-1

“Civilian Guards For School Crossings,” 7E-1

operating procedures for, 7E-1-2

“Policies and Practices for School Safety Patrols,” 7E-1

qualifications, 7E-1

school crossings, 7E-1

uniform for, 7E-1

“Adult School Crossing Guards,” 7E-1

Advance Bridge Restriction Notice signs, 2B-73

Advance Entrance signs, 2E-49

Advance Guide signs

at interchanges, 2E-23-24, 27, 30, 48

Next Exit supplemental, 2E-30, 39

Advance Intersection Lane Control signs, 2B-11, 27, 28, 29, 30

Advance preemption

defined, 8A-1

Advance preemption time

defined, 8A-1

Advance Route Turn assembly, 2D-15, 16, 17

Advance signs

tourist-oriented generator directional signs, 2G-8

for weigh stations, 2B-73, 2D-26, 27

Advance speed hump markings, 3B-93, 96-98

Advance Street Name plaques, 2C-30, 35

Advance Street Name signs, 2D-23-24

Advance Traffic Control signs, 2C-16, 17, 18

Advance Turn Arrow auxiliary signs, 2D-8, 10

Advance WALK indication, 4D-2

Advance warning signs

Highway-Rail Grade Crossing Advance Warning, 5F-1, 8B-4-5, 7, 10C-6-7

positioning for temporary traffic control, 2C-1, 6F-14

school areas, 7B-1-4, 6

Advisory speed

defined, 1A-14

Advisory Speed plaques, 2C-15, 34, 5C-4, 6F-22

Advisory Speed signs

combination Horizontal alignment/Advisory Speed signs, 2C-7-8

Airport signs, 2D-30, 33

ALL-AMERICAN ROAD signs, 2D-36

ALL TRUCKS/COMMERCIAL VEHICLES NEXT RIGHT signs, 2B-75

ALL WAY STOP signs, 2B-10

ALL word message, 2B-31

ALTERNATE auxiliary signs, 2D-7

Alternate routes

auxiliary signs for, 2D-7

AMBULANCE STATION signs, 2D-28, 30

American Association of State Highway and Transportation Officials

“Establishment and Development of United States Numbered Highways,” 2D-4

“Establishment of a Marking System of the Routes Comprising the National System of Interstate and Defense highways,” 2D-4

“Guide for Development of Bicycle Facilities,” 9A-1

“Guide to Metric Conversion,” 1A-8

“Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways,” 1A-8, 2E-30

“List of Control Cities for Use in Guide Signs on Interstate Highways,” 1A-8

“A Policy on Geometric Design of Highways and Streets,” 1A-8, 6H-82, 86, 88

“Purpose and Policy” statement, 2D-35

“Roadside Design Guide,” 1A-8, 6F-1, 44, 45, 46

“Specification for Structural Supports for Highway Signs, Luminaries, and Traffic Signals,” 2B-16

“Standard Specifications for Movable Highway Bridges,” 1A-8

“Traffic Engineering Metric Conversion Folders-Addendum to the Guide to Metric Conversion,” 1A-8

American Automobile Association

“Adult School Crossing Guards,” 7E-1

“Policies and Practices for School Safety Patrols,” 7E-1

“American National Standard for High-Visibility Safety Apparel,” 1A-8

American Railway Engineering & Maintenance-of-Way Association

“2000 AREMA Communications & Signals Manual,” 1A-8

“The Americans with Disabilities Act Accessibility Guidelines for Buildings and Facilities (ADAAG),” 1A-10, 4E-7, 6A-1, 6B-1, 6F-2, 6G-1, 6I-1

Animated eyes symbol, 4E-2

Approach grade, 4A-1

Approach markings

for obstructions, 3B-38-50, 56-57

Approach speed, 4A-1

Approach roadways

for freeways and expressways, 2E-49, 51-55

Approaches

defined, 1A-11, 4A-1

AREA CLOSED signs, 2I-2

AREMA. *See* American Railway engineering & Maintenance-of Way Association, 1A-8

Arrow panels

mode selections, 6F-28

for temporary traffic control, 6F-26-28

Arrows

Advance Turn Arrow auxiliary signs, 2D-8

on conventional road guide signs, 2D-3-4

destination arrows for bicycle route signs, 9B-14

Detour Arrow, 6F-24

Directional Arrow auxiliary signs, 2D-9, 10

Double Arrow signs, 2C-14

DOWNWARD GREEN ARROW, 4I-1-3

EVACUATION ROUTE signs, 2I-1

GREEN ARROW signals, 4D-2, 3-8, 16-18

for interchange guide signs, 2E-9

One-Direction Large Arrow signs, 2C-4, 7, 9

pavement markings, 3B-70, 73

RED ARROW signals, 4D-3-8, 9, 17-18

Supplemental Arrow plaques, 2C-35

Two-Direction Large Arrow signs, 2C-30
 WHITE ONE WAY LEFT-TURN ARROW, 4J-1-3
 WHITE TWO-WAY LEFT-TURN ARROW, 4J-1-3
 wrong-way, 1A-15
 YELLOW ARROW signals, 4D-2-8, 9, 16-18

Arterial highways or streets
 defined, 1A-11

Assemblies. *See* Sign assembly

Audible tones
 for pedestrian signals, 4E-4-5

Automatic gates
 for highway-light rail transit grade crossings, 10B-1, 10C-1, 10D-1-2, 7-9
 for highway-rail grade crossings, 8D-2, 3-4

Auxiliary signs
 TO, 2D-7, 8
 Advance Turn Arrow, 2D-8
 for alternate routes, 2D-7
 BUSINESS, 2D-7-8
 BY-PASS, 2D-7
 Cardinal Direction, 2D-6-7, 18
 Combination Junction, 2D-6
 conventional road guide signs, 2D-4-8
 Directional Arrow, 2D-9
 END, 2D-7, 8
 Junction, 2D-6
 TEMPORARY, 2D-8
 traffic control signals, 4D-21
 TRUCK, 2D-8

Average day
 defined, 1A-11, 4A-1

Average speed
 defined, 1A-14

AXLE WEIGHT LIMIT signs, 2B-71

B

Backplates. *See* Signal backplates

Barricades. *See also* Markings
 Direction Indicator, 6F-35
 longitudinal channelizing, 6F-36-37
 for temporary traffic control, 6F-34-37, 6H-32
 use of, 3F-1

Barriers
 barrier-separated high-occupancy vehicle lanes, 2B-40, 2E-68, 69-70
 highway-light rail transit grade crossing gates and barriers, 10D-1-2, 6, 7-10
 lane closures with temporary traffic barrier, 6H-72-73
 movable, 6G-12, 6H-72, 94
 for temporary traffic control, 6F-36, 43-44, 6G-9, 6H-14, 94

BE PREPARED TO STOP signs, 2C-17-18, 6H-24, 30, 58, 96

Beacons. *See also* Flashing beacons; Warning beacons
 defined, 1A-11, 4A-1
 intersection control, 4A-2
 for reversible lane control, 2B-34
 speed limit sign, 4A-3
 stop, 4A-4
 warning, 4A-4, 4F-2

BEGIN legend, 2B-31

BEGIN RIGHT TURN LANE YIELD TO BIKES signs, 9B-2
 “Bicycle and Pedestrian Design Guidelines”, 9A-1, 9C-1, 9D-1

Bicycle Detection at Intersections, 9D-1

Bicycle Signal Timing at Intersections, 9D-1

Bicycle facilities
 application of signs, 9B-1
 BEGIN RIGHT TURN LANE YIELD TO BIKES signs, 9B-2
 “Bicycle and Pedestrian Design Guidelines”, 9A-1, 9C-1, 9D-1
 bicycle detector symbol, 9C-5, 10
 Bicycle Parking Area signs, 9B-14
 Bicycle Route Guide signs, 9B-9-12, 14

Bicycle Signal Actuation signs, 9B-6

Bicycle Surface Condition Warning signs, 9B-7

Bicycle WRONG WAY signs, 9B-6

BIKEWAY NARROWS signs, 9B-9

color codes, 9A-2

defined, 9A-1

definitions of terms, 9A-1

design of signs, 9B-1

destination arrows, 9B-14

“Guide for the Development of Bicycle Facilities,” 1A-8

HIKER BIKER TRAIL CROSSING signs, 2C-32, 9B-9

highway-light rail transit grade crossings, 10D-6

Hill signs, 9B-9

Interstate Bicycle Route signs, 9B-10, 14

maintenance, 9A-1

meaning of standard, guidance, option, and support, 9A-2

minimum sign sizes, 9B-3-4

No Bicycles signs, 2B-51, 9B-6

NO MOTOR VEHICLES signs, 9B-6

pavement markings, 9C-1-11

placement authority, 9A-2

placement of signs, 9B-1

preferential lane signs, 3B-87

regulatory signs, 9B-5, 6-7

related documents, 9A-1

RIDE WITH TRAFFIC plaques, 9B-6

SHARE THE ROAD plaques, 2C-36

Shared-Use path Restriction signs, 9B-6

signals, 9D-1

Signs, 9B-1-14

STOP signs, 9B-1-2

supplemental plaques for, 9B-14

temporary traffic control affecting, 6G-4-5

warning signs, 9B-7-9

YIELD signs, 9B-1-2

WATCH FOR BIKES, 9B-9

Bicycle Lane signs, 9B-2
 No Parking Bike Lane signs, 9B-6

Bicycle lanes
 defined, 1A-11, 9A-1
 pavement markings for, 9C-4-9

Bicycle Parking Area signs, 9B-14

Bicycle Route Guide signs, 9B-2-12, 14

Bicycle Signal Actuation signs, 9B-6

Bicycle Surface Condition Warning signs, 9B-7

Bicycle warnings
 color code, 1A-10

Bicycle WRONG WAY signs, 9B-6

Bicycles
 defined, 1A-11

BIKEWAY NARROWS signs, 9B-9

Bikeways
 defined, 9A-1

Black
 general meaning, 1A-10

Blank-out signs
 light rail transit-activated blank-out turn prohibition signs, 10C-3, 5
 Light Rail Transit Approaching-activated Blank-Out, 10C-8

Blasting area signs, 6F-21

Blasting caps
 “Safety Guide for the Prevention of Radio Frequency Radiation Hazards in the Use of Commercial Electric Detonators (Blasting Caps)”, 1A-8

BLASTING ZONE AHEAD signs, 6F-21, 6H-8

Blasting zones
 typical applications, 6H-8-9

Blue
 general meaning, 1A-10
 longitudinal pavement marking delineation, 3A-2

Boarders
 for freeway and expressway signs, 2E-6
 for signs, 2A-8

BRIDGE ICES BEFORE ROAD signs, 2C-16

Bridges

Advance Bridge Restriction Notice signs, 2B-73

Bridge Abutment Markers, 3C-1-4

Bridge End Marker, 3C-1-4

BRIDGE ICES BEFORE ROAD signs, 2C-16

BRIDGE OUT word message, 2B-71, 72

Last Detour Bridge Restriction Notice signs, 2B-73

movable, 1A-8, 4I-1-3

movable bridge resistance gates, 4A-2

movable bridge signals, 4A-2

movable bridge warning gates, 4A-2

NARROW BRIDGE signs, 2C-12, 5C-1

ONE LANE BRIDGE signs, 2C-12, 5C-1

Restricted Bridge Posting signs, 2B-73

Broken lines

raised pavement markers used to substitute for, 3B-59-60

Brown

general meaning, 1A-10

Buffer spaces

for temporary traffic control, 6C-6-8

“Building a True Community-Final Report-Public Rights-of-Way Access Advisory Committee (PRWAAC)”, 1A-10

BUMP signs, 2C-15

Buses

preferential lane signs, 3B-87

BUSINESS auxiliary signs, 2D-7-8

BY-PASS auxiliary signs, 2D-7

“By-Pass Lane Policy”, 3B-16

Bypass sidewalks, 6H-60-61

C

Camping signs, 2D-28, 29, 2E-58, 59

Cantilevered signal structures

defined, 8A-1

Capacity

“Highway Capacity Manual”, 1A-10

Cardinal direction auxiliary signs, 2D-6-7, 18

Cardinal directions

abbreviations, 2E-7

Carpool Information signs, 2E-65

CENTER LANE CLOSED AHEAD signs, 6F-18

Centerline markings

defined, 1A-11

legislative requirements for stripes, A1-2

low-volume roads, 5E-1

for shared-use paths, 9C-3

use of 3B-1-10

Change intervals

pedestrian, 4A-2

traffic control for movable bridges, 4I-3

yellow, 4A-4, 4D-8-10

Changeable message signs. *See also* Word message signs

defined, 1A-11

for freeways and expressways, 2E-20

function of, 2A-3

Portable, 2C-17, 6F-25-26

for preferential only lanes, 2B-37

for speed limits, 2B-19

for temporary traffic control, 6F-25-26

Channel 9 Monitored signs, 2D-29, 30

Channelizing devices

color of 3F-1

retroreflectivity of, 3F-1

temporary traffic control zones, 5G-1, 6F-29-36, 6H-82

use of, 3F-1

Channelizing islands

colored pavement for 3E-1

Channelizing line markings

defined, 1A-11

for exit ramps, 3B-21-41

CHEMICAL SHELTER signs, 2I-5

Chevron Alignment signs, 2C-7, 8, 9, 10, 25

CIRCULAR GREEN signals, 4D-2, 3-8

Circular Intersection signs, 2C-30

Circular intersections

defined, 1A-11

pavement markings, 3B-92-95

CIRCULAR RED signals, 4D-3-8, 9, 17, 4J-1, 2

CIRCULAR YELLOW signals, 2C-31, 4D-2, 3-8, 9, 16-18, 4J-1, 2

Circumferential routes

interchange numbering, 2E-25

“Civilian Guards For School Crossing,” 7E-1

Clear storage distance

defined, 8A-1

Clear zones

defined, 1A-11

Clearance intervals

red, 4D-9

Clearance times

exit gate clearance, 8A-1

minimum track clearance distance, 8A-1

Queue clearance, 8A-1

Clearances

Crossbuck signs, 10C-1

highway-rail grade crossings, 8D-2

Low Clearance signs, 2C-14-15

Low Ground Clearance Highway-Rail Grade Crossing signs, 8B-8-9, 10C-7

Closely-spaced interchanges, 2E-38, 48

Cloverleaf interchanges

with collector-distributor roadways, 2E-43, 47

full, 2E-42

partial, 2E-44, 48

“Code of Maryland Regulations”, 2F-5

Collector-distributor roadways

cloverleaf interchanges with, 2E-43, 47

Collector highways

defined, 1A-11

Colored pavements, 3E-1

Colors. *See also* Design

channelizing devices, 3F-1

color codes, 1A-10, 9A-2

“Color Specifications for Retroreflective Sign and Pavement Marking Materials,” 1A-8

cones, 6F-30-31

for conventional road guide signs, 2D-1

Countdown Pedestrian Signal, 4E-2

delineators, 3D-1

for freeway and expressway signs, 2E-1-2

Incident management, 1A-10

of islands, 3G-1-2

lane-use control signal faces, 4J-2

of markings, 3A-2

pavement markings on shared-use paths, 9C-1-4

for pavements, 3E-1

raised pavement markers, 3B-58

rumble strips, 6F-45

school warning signs, 7B-1-2

of signal sections, 4D-19-21

for signs, 2A-5, 7

signs for temporary traffic control, 6F-1-2

Toll Facilities, 1A-10

COMAR. *See* “Code of Maryland Regulations”

Combination Horizontal alignment/Advisory Speed signs, 2C-7-8

Combination Horizontal Alignment/Intersection signs, 2C-7, 9

Combination Junction signs, 2D-6

COMMERCIAL VEHICLES EXCLUDED signs, 2B-51

Community Interchanges identification signs, 2E-39, 40

Concurrent flow HOV lanes
 defined, 1A-11

Concurrent flow preferential lanes, 2B-40

Cones, traffic
 retroreflectivity, 3F-1, 6F-30-31
 for temporary traffic control, 6F-30
 use of, 3F-1

Confirming assembly, 2D-17

Conflict monitors
 defined, 4A-1
 for traffic control signals, 4D-9

Congressional legislation, A1-1-2

Connection roadways
 for freeways and expressways, 2E-49, 51-55

Contraflow lanes
 defined, 1A-11

Control cities
 on freeway guide signs, 2E-5
 “List of Control Cities for Use in Guide Signs on Interstate Highways,” 1A-8

Controller assembly
 defined, 4A-1

Controller units
 defined, 4A-1

Conventional roads. *See also* Guide signs, conventional roads
 defined, 1A-11
 general directional guide signs for 2H-5

Coordinated signal system analysis
 signal warrant, 4C-1, 8

Coral
 general meaning, 1A-10

Countdown pedestrian signals,
 color, 4E-2
 defined, 1A-11, 4A-1
 retroreflectivity, 3F-1,
 use of, 4A-1, 4E-5-7, 9

County Line signs, 2D-34

County Route signs
 design of, 2D-5

Crash cushions
 for temporary traffic control, 6F-44

Crash experience analysis
 signal warrant, 4C-1, 8-9

Crashworthy
 defined, 1A-11

CROSS ON GREEN LIGHT ONLY signs, 2B-66, 67

CROSS ON WALK SIGNAL ONLY signs, 2B-66, 67

CROSS ONLY AT CROSSWALKS signs, 2B-66, 67

Cross Road signs, 2C-9, 30, 31

CROSS TRAFFIC DOES NOT STOP plaques, 2B-7,
 2C-31, 35-36

Crossbuck signs
 for highway-light rail transit grade crossings, 10C-1-2
 for highway-rail grade crossings, 5F-1, 8B-1, 4

Crossings. *See* School crossings.

Crossover signs, 2D-35

Crossovers
 design of, 6G-11
 median crossover for entrance ramp, 6H-84-85
 median crossover for exit ramp, 6H-86-87
 median crossover on freeway, 6H-82-83

Crosswalk lines
 defined, 1A-12
 use of, 3B-62-64, 68-70

Crosswalks
 closures, 6H-62-63
 CROSS ONLY AT CROSSWALKS signs, 2B-66, 67
 defined, 1A-12, 4A-1
 HIKER BIKER TRAIL CROSSING sign, 2C-32, 9B-9
 In-Roadway Warning Lights, 4L-1-2
 PEDESTRIAN CROSSWALK signs, 6F-12
 school area markings, 7C-1

school areas, 7B-4-6, 10-11, 13-19
 transverse lines for, 7C-1
 USE CROSSWALK signs, 2B-66, 67

Cul-de-sacs

 DEAD END signs, 2C-14

Cultural interest area guidance. *See* Recreational and cultural interest area signs

Curb markings. *See also* Markings

 preferential lanes, 3B-87-92

 for school area parking regulation, 7C-2

 use of, 3B-38-87

Curve signs, 2C-4, 7, 8, 9, 25

Curve Speed signs, 2C-25

Curves

 Curve Speed signs, 2C-25

 Double Reverse Curve signs, 6F-22

 spacing of delineators, 3D-2, 4

Cycle length

 defined, 4A-1

D

D1 Series. *See* Destination signs

D2 Series. *See* Distance signs

D3-1 signs. *See* Street name signs

D3-2 signs. *See* Advance Street name signs

D4-1 signs. *See* Parking Area signs

D4-2 signs. *See* PARK & RIDE signs

D5 Series. *See* Rest Area signs

D6-4, 4a signs. *See* National Scenic Byways signs

D6 Series. *See* Scenic Area signs

D8 Series. *See* Weigh Station signs

D9-6 signs. *See* International Symbol of Accessibility for the Handicapped signs

D9-12 signs. *See* Recreational vehicle Sanitary Station signs

D9-13 signs. *See* Emergency Medical Services signs

D9-20 signs. *See* Pharmacy signs

D9 Series. *See* General service signs

D10-1-3 signs. *See* Reference Location signs

D10-1A-3A signs. *See* Intermediate Reference Location signs

D10-4-5 signs. *See* Enhanced Reference Location signs

D11-1 signs. *See* Bicycle Route Guide signs

D12-1 signs. *See* Radio-Weather Information signs

D13 Series. *See* Crossover signs

D95-26 signs. *See* Land Recreation signs

Dark mode

 defined, 4A-1

DEAD END/NO OUTLET signs, 2C-14, 5C-4

Deceleration rate, 4A-1

DECONTAMINATION CENTER signs, 2I-4

Defense highways

 “Establishment of a Marking System of the Routes Comprising the National system of Interstate and Defense Highways,” 2D-5

Definitions

 bicycle facilities, 9A-1

 highway-rail grade crossings terms, 8A-1-3

 highway traffic signal terms, 4A-1-4

 of terms, 1A-11-15

Delineators

 application, 3D-1-2

 color of, 3D-1

 defined, 1A-12

 design of, 3D-1

 on islands, 3G-2

 low-volume roads, 5E-1

 placement, 3D-2, 3

 spacing, 3D-2, 4

 for temporary traffic control 6F-40

 use of, 3D-1

- Department of Transportation and Related Agencies Appropriations Act, 1993, A1-1
 - Design
 - bicycle facilities signs, 9B-1
 - of crossovers, 6G-11
 - of delineators, 3D-1
 - “Designing Sidewalks and Trails for Access – Part 2-Best Practices Design Guide,” 1A-7
 - of devices, 1A-2
 - of diagrammatic signs, 2E-9, 13-14
 - of emergency management signing, 2I-1
 - of emergency-vehicle traffic control signals, 4F-2
 - of flashing beacons, 4K-1
 - of lane-use control signals, 4J-2-3
 - “Manual of Traffic Signal Design,” 1A-8
 - of movable bridge signals and gates, 4I-1-2
 - of object markers, 3C-1
 - of parking prohibition signs, 2B-60-62
 - of pedestrian signal indications, 4E-2, 3
 - “A Policy on Geometric Design of Highways and Streets,” 1A-8, 6H-82, 86, 88
 - of recreational and cultural interest area signs, 2H-1
 - regulatory signs, 6F-11
 - of regulatory signs, 2B-1
 - “Roadside Design Guide,” 1A-8
 - of route sign auxiliaries, 2D-6
 - of route signs, 2D-4-6
 - of signal sections, 4D-19-21
 - of signs, 2A-2
 - of standing prohibition signs, 2B-60-62
 - of STOP signs, 2B-1, 9
 - of stopping signs, 2B-60-62
 - of supplemental plaques, 2C-33-36
 - of tourist-oriented generator directional signs, 2G-5
 - of traffic control devices, low-volume roads, 5A-1
 - of traffic control signals for one-lane, two-way facilities, 4G-1
 - of warning signs, 2C-1, 6F-13-23
 - Design speed
 - defined, 1A-14
 - Design vehicle
 - defined, 8A-1
 - Designated bicycle routes
 - defined, 9A-1
 - “Designing Sidewalks and Trails for Access-Part 2-Best Practices Design Guide,” 1A-8
 - Destination arrows, 9B-14
 - Destination signs
 - location of, 2D-19
 - uses, 2D-18-20
 - Detectable
 - defined, 1A-12
 - Detectable edging for pedestrians, 6F-37
 - Detectors
 - accessible, 4E-7
 - bicycles, 9C-5, 10
 - defined, 4A-1
 - pedestrians, 4E-7
 - Detour Arrows, 6F-24
 - DETOUR signs, 6F-14, 24
 - Detours
 - for bridge restriction, 2B-73
 - for closed street, 6H-44-45
 - for one travel direction, 6H-42-43
 - overlapping routes with detour, 6H-22-23
 - pedestrian detours, 6H-62-63
 - road closure with off-site detour, 6H-20-21
 - sidewalk detour or diversion, 6H-60-61
 - temporary traffic control, 6C-9, 6F-14, 24
 - Diagrammatic signs
 - design of 2E-9, 13-14
 - use of 2E, 14-19
 - Diamond interchanges
 - guide signs, 2E-45-46, 48
 - urban, 2E-46
 - Diesel signs, 2D-28, 29, 2E-57
 - DIP signs, 2C-15
 - Direction guidance
 - color code, 1A-10
 - Directional Arrow auxiliary signs, 2D-9
 - Directional assembly, 2D-17
 - Disabilities. *See* Persons with disabilities
 - Distance Ahead plaques, 2C-34
 - Distance plaques, 2C-34, 6F-23
 - Distance signs
 - location of, 2D-21
 - post-interchange, 2E-36-37
 - uses, 2D-18, 19-20
 - Diversions
 - temporary traffic control, 6H-18-19
 - Divided Highway Crossing signs, 2B-52, 55-59
 - Divided Highway (Road) Ends signs, 2C-13, 14
 - Divided Highway (Road) signs, 2C-12, 13
 - Divided Highway With Light Rail Transit Crossing signs, 10C-3, 5
 - Divided highways
 - Divided Highway Crossing signs, 2B-52, 55-59
 - median opening treatments for divided highways with wide medians, 2A-14
 - stationary lane closure on, 6H-70-71
 - temporary traffic control, 6G-10
 - DO NOT BLOCK INTERSECTION signs, 2B-68, 69
 - DO NOT DRIVE ON TRACKS signs, 10C-2, 3
 - DO NOT ENTER signs, 2B-9, 15, 45, 48, 6H-42-43, 6H-82, 10C-5
 - Do No Pass Light Rail Transit signs, 10C-6
 - DO NOT PASS signs, 2B-41, 43, 2C-21, 6H-82
 - TRUCKS DO NOT PASS signs, 2B-41
 - DO NOT STOP ON TRACKS signs, 2B-63, 8B-5-6
 - DON'T WALK, 4D-4
 - Dotted lines
 - lane line markings, 3B-59-60, 3A-2-3
 - Puppy tracks, 3A-2, 3
 - Elephant tracks, 3A-2, 3
 - Double Arrow signs, 2C-14
 - Double-exit interchanges, 2F-5-6
 - Double Reverse Curve signs, 6F-22
 - DOWNWARD GREEN ARROW, 4J-1-3
 - DRAWBRIDGE AHEAD warning signs, 4I-1
 - Drums
 - defined, 3F-1, 6F-33-34
 - for temporary traffic control, 6F-34
 - Dual-arrow signal sections
 - defined, 4A-2
 - Dynamic envelop markings
 - for highway-light rail transit grade crossings, 10C-12
 - for highway-rail grade crossings, 8B-10, 13
 - Dynamic envelopes
 - defined, 1A-12, 8A-1, 2
 - Dynamic exit gate operating mode
 - defined, 8A-1
 - for highway-light rail transit grade crossings, 10D-2
- ## E
- E5-2-3 signs. *See* EXIT OPEN, EXIT CLOSED, EXIT ONLY signs
 - E11-1 panels. *See* EXIT ONLY panels
 - EAST. *See* Cardinal directions
 - Edge line markings
 - defined, 1A-12, 3A-2, 3
 - detectable edging for pedestrians, 6F-37
 - low-volume roads, 5E-1
 - standard markings for preferential lanes, 3B-89
 - uses, 3B-42

- warrants for use, 3B-42-44
- wide edge line extension, 3A-2, 3
- Educational plaques, 2H-3, 4
- Eight-hour vehicular volume
 - signal warrant, 4C-1, 2-4
- 85th percentile speed
 - defined, 1A-14
- Electric Vehicle Charging signs, 2D-28, 2E-57
- Elephant tracks, 3A-2, 3
- EM-1 signs. *See* EVACUATION ROUTE signs
- EM-2 signs. *See* AREA CLOSED signs
- EM-3 signs. *See* TRAFFIC CONTROL POINT signs
- EM-4 signs. *See* MAINTAIN TOP SAFE SPEED signs
- EM-5 signs. *See* ROAD (AREA) USE PERMIT REQUIRED FOR THRU TRAFFIC signs
- EM-6 Series. *See* Emergency Aid Center signs
- EM-7 Series. *See* Shelter Directional signs
- Emergency Aid Center signs, 2I-4
- Emergency management signing
 - AREA CLOSED, 2I-2
 - contingency planning and, 2I-1
 - design, 2I-1
 - Emergency Aid Center, 2I-4
 - EVACUATION ROUTE, 2I-1
 - examples of, 2I-3
 - MAINTAIN TOP SAFE SPEED, 2I-3-4
 - ROAD (AREA) USE PERMIT REQUIRED FOR THRU TRAFFIC, 2I-4
 - Shelter Directional, 2I-4-5
 - sizes of, 2I-1
 - SNOW EMERGENCY ROUTE, 2B-62
 - TRAFFIC CONTROL POINT, 2I-2-3
- EMERGENCY MEDICAL CARE signs, 2D-28
- Emergency Medical Services signs, 2D-28, 30-31
- Emergency Notification signs
 - highway-light rail transit grade crossings, 10C-8
 - highway-rail grade crossings, 8B-7, 8
- EMERGENCY PARKING ONLY signs, 2B-62, 63
- Emergency restriction signs, 2B-62, 63
- EMERGENCY SHELTER signs, 2I-4
- EMERGENCY SIGNAL signs, 2B-69, 70, 4F-1
- EMERGENCY STOPPING ONLY signs, 2B-62, 63
- “Emergency Vehicle Pre-emption and Emergency Traffic Signals Suggested Guideline”, 4F-1
- Emergency vehicle traffic control signals
 - defined, 4A-2
- Emergency vehicles
 - traffic control signals for, 4F-2
 - “Emergency Vehicle Pre-emption and Emergency Traffic Signals Suggested Guideline”, 4F-1
 - use of emergency-vehicle lighting in traffic incident management, 6I-4
- END auxiliary signs, 2D-7, 8
- END BLASTING ZONE signs, 6F-21, 6H-8
- END DETOUR signs, 6F-24
- END legend, 2B-31
- End-of-bridge markers, 3C-1-4
- End-of-roadway markers
 - defined, 1A-12
 - uses of, 3C-2, 3
- END ROAD WORK signs, 6F-24
- END SCHOOL ZONE signs, 7B-21
- Engineering
 - “Manual of Transportation Engineering Studies,” 1A-8
 - “Traffic Engineering Handbook,” 1A-10
 - “Traffic Engineering Metric Conversion Folders,” 1A-8
- Engineering judgment
 - defined, 1A-12
 - horizontal alignment signs, 2C-7, 9
 - In-Roadway Warning Lights, 4L-2
 - for installation of traffic control devices, 1A-4
 - traffic control signal needs studies, 4C-1
- Engineering studies
 - defined, 1A-12
 - flashing-light signals at highway-rail grade crossings, 8D-1
 - highway-light rail transit grade crossings, 10B-1
 - for installation of traffic control devices, 1A-4
 - lane-use control signals, 4J-1
 - speed Limit signs, 2B-21
 - traffic control signal needs studies, 4C-2
- Enhanced Reference location signs, 2E-63-64
- Entrance Direction signs, 2E-49
- Entrance ramps
 - freeway entrance ramp traffic control signals, 4H-1
 - median crossover for entrance ramp, 6H-84-85
 - Neutral Area Chevron Marking, 3B-34
 - work in vicinity of entrance ramp, 6H-92-93
- Environmental Protection Agency
 - inherently low emission vehicle certification, 2B-38
- EPA. *See* Environmental Protection Agency
- “Establishment and Development of United States Numbered Highways,” 2D-5
- “Establishment of a Marking System of the Routes Comprising the National System of Interstate and Defense Highways,” 2D-5
- EVACUATION ROUTE signs, 2I-1
 - color code, 1A-9
- EXEMPT signs, *not used in MD*
- Exit Direction signs
 - for freeways and expressways, 2E-14, 32-33
 - at interchanges, 2E-23-24, 31, 33-34
 - for weigh stations, 2B-73, 2D-26-27
- Exit gate clearance time
 - defined, 8A-1
- Exit gate operating mode
 - defined, 8A-1
- Exit Gore signs, 2E-34-36
- EXIT ONLY panels
 - for interchange lane drops, 2E-9, 13, 14, 20, 21
- EXIT OPEN, EXIT CLOSED, EXIT ONLY signs, 6F-19
- Exit ramps
 - channelizing line markings, 3B-21-41
 - median crossover for exit ramp, 6H-86-87
 - Neutral Area Chevron Marking, 3B-34
 - partial closure, 6H-90-91
 - work in vicinity of, 6H-88-89
- Exit Speed signs, 2C-25, 26, 27, 28, 29
- Exits. *See also* Exit ramps
 - channelizing line markings, 3B-21-41
 - diagrammatic signs for, 2E-14-20
 - interchange numbering, 2E-24-27, 28
- Experimental devices
 - for temporary traffic control, 6F-46
- Experimentation with devices
 - process for, 1A-4-8
- Expressways. *See also* Guide signs, freeways and expressways
 - defined, 1A-12, 15
 - edge line markings, 3A-2, 3, 3B-44, 49
 - temporary traffic control, 6G-11

F

- FALLOUT SHELTER signs, 2I-5
- Farm machinery
 - SHARE THE ROAD plaques, 2C-35, 36
- “Federal-Aid highway Program Guidance on High Occupancy Vehicle (HOV) Lanes,” 2B-38
- Federal Highway Administration
 - “Designing Sidewalks and Trails for Access,” 1A-8
 - “Federal-Aid Highway Program Guidance on High Occupancy Vehicle (HOV) Lanes,” 2B-39
 - HOV lane operation changes, 2B-38, 39

- “Selecting Roadway Design Treatments to Accommodate Bicycles,” 9A-1
 - “Standard highways Signs,” 1A-8, 7B-1
 - [FINES DOUBLE plaques, 7B-4, 5](#)
 - [FINES HIGHER plaques, 2B-10, 20](#)
 - [FIREHOUSE SIGNAL sign, 2C-32](#)
 - [FITA, See Flag-In-The-Air](#)
 - [Flag-In-The-Air, 7D-1](#)
 - Flag transfer method on one-lane, two-way traffic control, 6C-10-11
 - Flag trees, 6F-29
 - Flagger control
 - flagger procedures, 6E-2, 4
 - flagger stations, 6E-4, 6H-24, 58, 96
 - “Guidelines and Standard Operating Procedures for Flagging Operations at/near Signalized Intersections”, 4D-21
 - hand-signaling devices, 6E-1-2, 3
 - high-visibility safety apparel, 6E-1
 - lane closures on two-lane road using flaggers, 6H-24-25
 - methods of signaling with a flag, 6E-2
 - methods of signaling with paddles, 6E-2
 - qualifications for flaggers, 6E-1
 - STOP/SLOW paddles, 6E-1-2
 - Flagger method
 - for haul road crossings, 6H-32
 - of one-lane, two-way traffic control, 6C-10
 - Flagger sign, 6F-19-20
 - Flashers
 - defined, 4A-2
 - Flashing
 - defined, 4A-12, 4A-1
 - Flashing beacons. *See also* Beacons
 - design, 4K-1
 - intersection control, 4K-1
 - operation of, 4K-1
 - reversible lane control, 2B-28-34
 - Speed Limit Sign, 4K-2
 - Stop, 4K-2
 - warning, 4K-1-2
 - Flashing-light signals
 - defined, 8A-1
 - for highway-light rail transit grade crossings, 10B-1, 10D-1
 - for highway-rail grade crossing, 8A-1, 8D-1-3, 5
 - overhead structures, 8D-3
 - post-mounted, 8D-1, 3
 - Flashing mode
 - defined, 4A-2
 - Flashing signal indications
 - application of, 4D-10
 - meaning of, 4D-3
 - operation of, 4D-10-11
 - Floodlights
 - for temporary traffic control, 6F-40, 6H-32
 - Fluorescent pink
 - general meaning, 1A-10
 - Fluorescent yellow-green
 - general meaning, 1A-10
 - [Flush medians, 3B-9](#)
 - Food signs, 2D-28,29, 2E-55, 57
 - Forest Route signs
 - design of, 2D-5, 6
 - Four-hour vehicular volume
 - signal warrant, 4C-1, 4, 5
 - Four-Quadrant Gate Systems
 - defined, 8A-1-2
 - for highway-light rail transit grade crossings, 10D-2-3
 - for highway-rail grade crossings, 8A-1-2, 8D-4-6
 - 4-WAY STOP signs, 2B-10
 - Freeway
 - interior lane closure on, 6H-80-81
 - Freeway-to-freeway interchanges, 2E-40-41, 47
 - Freeways. *See also* Guide signs, freeways and expressways. Highways
 - double lane closure on, 6H-78-79
 - edge line markings, 3A-2, 3, 3B-44, 49
 - entrance ramp traffic control signals, 4H-1
 - “Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways,” 1A-8
 - lane shifts, 6H-76-77
 - lane-use control signals, 4J-1
 - median crossover on, 6H-82-83
 - [NO MERGE AREA plaques, 2B-12](#)
 - shoulder closure, 6H-14-15
 - temporary traffic control, 6G-11
 - FRESH OIL (TAR) signs, 6F-20
 - Full-actuated operation
 - defined, 4A-2
 - “Functional Guidelines for Portable Changeable Message Signs”, 6F-26
- ## G
- G20-1 signs. *See* ROAD WORK NEXT XX km (MILES) signs
 - G20-2 signs. *See* END ROAD WORK signs
 - G20-4 signs. *See* PILOT CAR FOLLOW ME signs
 - Gas signs, 2D-28, 29, 2E-57
 - Gates
 - automatic, 8D-2, 3-4, 10D-1-2, 7-9
 - dynamic exit gate operating mode, 8A-1
 - exit gate clearance time, 8A-1
 - exit gate operating mode, 8A-1
 - Four-Quadrant Gate systems, 8A-1-2, 10D-2-3
 - for movable bridges, 4A-2, 4I-1-2
 - timed exit gate operating mode, 8A-2, 10D-2
 - General Information signs, 2D-33-34, 2H-1
 - General Service signs
 - for conventional roads, 2D-28-31
 - for freeways and expressways, 2E-56-60
 - Golf carts
 - [SHARE THE ROAD plaques, 2C-35, 36](#)
 - [Golf Course signs, 2H-3, 11](#)
 - Gore signs
 - at interchanges, 2E-24, 34-36
 - for weight stations, 2D-26
 - Gores
 - Double Arrow signs, 2C-14
 - Exit Gore signs, 2E-34-36
 - [Neutral Area Chevron Marking, 3B-34](#)
 - Grade of hills, 2C-10-11
 - [X% Grade plaque, 2C-11](#)
 - Grade-separated school crossings
 - criteria for use of, 7F-1
 - function, 7F-1
 - types of, 7F-1
 - GRAVEL supplemental plaque, 2C-12
 - Green
 - general meaning, 1A-10
 - GREEN ARROW signals, 2B-70, 4D-2, 3-8, 16-18, 4J-1
 - Green signal indications
 - application of, 4D-3-8
 - meanings, 4D-2
 - pedestrians and, 4D-2
 - Ground-mounted signs
 - preferential lane signs, 2B-36, 37, 2E-66-67
 - temporary traffic control, 6F-2
 - “Guide for Development of Bicycle Facilities,” 9A-1
 - “Guide for the Development of Bicycle Facilities,” 1A-8
 - Guide signs. *See also* Guide signs, conventional roads; Guide signs, freeways and expressways
 - bicycle routes, 9B-9-12, 14
 - defined, 1A-12
 - “Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways,” 1A-8
 - illumination, 2A-3-5

- “List of Control Cities for Use in Guide Signs on Interstate Highways,” 1A-8
- low-volume roads, 5D-1
- Points of Interest and Traffic Generators, 2G-1-4
 - expressways and freeways, 2G-1-3
 - conventional Highways, 2G-1-2, 4
- retroreflectivity, 2A-3-5
- temporary traffic control, 6F-2, 6F-23
- “Tourism Area and Corridor signing program”, 2G-1
- “Guidelines and Standard Operating Procedures for Flagging Operations at/near Signalized Intersections”, 4D-21
- “Guideline for Using Edge Line Extensions and Yield Lines”, 3B-44
- Guide signs, conventional roads. *See also* Conventional roads
 - ALL-AMERICAN ROAD, 2D-36
 - application, 2D-1
 - arrows, 2D-3-4
 - auxiliary signs, 2D-4-8
 - color, 2D-1
 - Combination Junction signs, 2D-6
 - Crossover signs, 2D-35
 - design of route sign auxiliaries, 2D-6
 - Destination, 2D-18-20
 - Distance, 2D-18, 19-21
 - general information, 2D-33-34
 - General Service, 2D-28-31
 - illumination, 2D-1
 - Junction auxiliary signs, 2D-6
 - lettering size, 2D-2-3
 - lettering style, 2D-2
 - National Scenic Byways, 2D-36
 - numbered highway systems, 2D-4
 - PARK & RIDE signs, 2D-25
 - Parking Area, 2D-25
 - Reference Location, 2D-31-33
 - Rest Area, 2D-25, 26
 - retroreflection, 2D-1
 - Route Sign assemblies, 2D-9-14
 - route signs, 2D-4
 - Scenic Area, 2D-26
 - scope of standards, 2D-1
 - sign legends, 2D-3
 - signing of named highways, 2D-34-35
 - size of, 2D-1
 - size of lettering for, 2D-2-3
 - Street Name, 2D-21-23
 - Traffic Signal Speed, *not used in MD*
 - Trail, 2D-35
 - Weigh Station, 2D-26, 27
- Guide signs, freeways and expressways
 - abbreviations, 2E-7
 - Advance Guide, 2E-23-24, 27, 30
 - amount of legend on, 2E-3
 - approaches and connecting roadways signing, 2E-49, 51-55
 - arrows for interchange guide signs, 2E-9
 - Carpool Information, 2E-65
 - changeable message signs, 2E-20
 - classification of, 2E-22
 - classification of interchanges, 2E-27
 - closely-spaced interchanges, 2E-38, 48
 - cloverleaf interchanges, 2E-42-44, 47-48
 - color of, 2E-1-2
 - designation of destinations, 2E-4-5
 - diagrammatic, 2E-9, 13-14
 - diamond interchanges, 2E-45-46, 48
 - Exit Direction, 2E-23-24, 31, 33-34
 - Exit Gore signs, 2E-34-36
 - exit numbering for interchanges, 2E-24-27
 - general information, 2E-1
 - General Service, 2E-56-60
 - illumination, 2E-2
 - interchanges, 2E-23-27, 28-29
 - intersections at grade, 2E-23
 - lateral offset, 2E-22
 - memorial highway signing, 2E-3
 - minor interchanges, 2E-49, 50
 - miscellaneous, 2E-64, 65
 - NEXT X EXITS, 2E-39, 40
 - number of signs at an overhead installation, 2E-3-4
 - overhead sign installations, 2E-20
 - post-interchange, 2E-36
 - preferential only lane, 2E-66-71
 - Pull-Through, 2E-4
 - Radio-Traffic Information signs, 2E-65-66
 - Radio-Weather Information signs, 2E-65-66
 - Reference Location, 2E-63-64
 - Rest Areas, 2E-61, 62
 - retroreflection, 2E-2
 - Ridesharing, 2E-66
 - Route signs, 2E-22-23
 - Rural signing characteristics, 2E-2-3
 - Scenic Areas, 2E-61, 62
 - scope of standards, 2E-1
 - sequence signs for interchanges, 2E-37-40
 - sign borders, 2E-6
 - sign spreading, 2E-3-4
 - signing principles, 2E-1
 - size and style of letters and signs, 2E-5-9
 - supplemental signs, 2E-27, 30-31, 32, 33
 - symbol designs, 2E-7, 9
 - trailblazer assemblies, 2E-22-23
 - by type of interchange, 2E-40
 - urban signing characteristics, 2E-2
 - Weigh Station signs, 2E-66
 - wrong-way traffic control at interchange ramps, 2E-56
- “Guide to Metric Conversion,” 1A-8
- “Guidelines and Typical for School Zones and Areas along State Highways”, 7A-1
- “Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways,” 1A-8, 2E-30
- “Guidelines for Work Zone on 65/60 mph Roadways”, 6H-1

H

- Hairpin Curve signs, 2C-4, 7
- Hand-signaling devices, 6E-1, 3
- Handicapped symbols. *See* Persons with disabilities
- Haul road crossings, 6H-32-33
- Hazardous Material Prohibited signs, 2B-51, 74
- Hazardous Material Route signs, 2B-74
- Hazardous Material signs, 2B-51, 74
- Heavy truck, 4A-2
- High-level warning devices, 6F-29
- High-Occupancy Vehicle (HOV) plaques, 2C-39
- High-occupancy vehicle lanes
 - barrier-separated, 2B-40, 2E-68, 69-70
 - buffer-separated, 2B-40, 2E-68, 70-71
 - concurrent flow, 1A-11, 2B-40, 2E-71
 - defined, 1A-12
 - diamond symbol for, 2B-37
 - direct access ramps, , 2B-40, 2E-71, 74-76
 - “Federal-Aid highway Program Guidance on High Occupancy Vehicle (HOV) Lanes,” 2B-38
 - minimum number of occupants, 2B-38
 - pavement marking, 3A-2, 3B-87-88
 - preferential lanes signs for, 2B-37, 2E-66-71
 - uses, 2E-72-76
- High-occupancy vehicles
 - concurrent-flow preferential only lanes, 2B-40
 - defined, 1A-12
 - High-Occupancy Vehicle (HOV) plaques, 2C-36
 - preferential lane marking for, 3B-88-92
 - preferential only lanes signs for, 2B-38, 2E-66-71

- High-speed highways
 - half road closures, 6H-68-69
- High-visibility safety apparel, 6E-1
- "Highway Capacity Manual," 1A-10
- Highway-light rail transit grade crossings. *See also* Highway-rail grade crossings
 - Crossings
 - active light rail transit traffic control systems, 10D-1-10
 - automatic gates, 10B-1, 10C-1, 10D-1-2, 7-9
 - bicycle signals, 10D-6
 - control systems, 10B-1
 - description of light rail transit, 10A-1
 - Divided Highway With Light Rail Transit Crossing signs, 10C-3, 5
 - DO NOT DRIVE ON TRACKS signs, 10C-2, 3
 - Do Not Pass Light Rail Transit signs, 10C-6
 - DO NOT STOP ON TRACKS signs, 10C-3, 4
 - dynamic envelop delineation, 10C-12
 - elimination, 10A-2
 - Emergency Notification signs, 10C-8
 - EXEMPT signs, *not used in MD*
 - flashing-light signals, 10D-1, 10B-1
 - Four-Quadrant Gate systems, 10D-2-3
 - Highway-Rail Grade Crossing Advance Warning signs, 10C-6-7
 - Highway-Rail Grade Crossing (Crossbuck) signs, 10C-1-2
 - illumination, 10C-9
 - light rail transit-activated blank-out turn prohibition signs, 10C-3, 5
 - Light Rail Transit Approaching-Activated Blank-Out signs, 10C-8
 - Light Rail Transit Only Lane signs, 10C-6
 - Light Rail Transit Station signs, 10C-8
 - LOOK signs, 10C-2
 - Low Ground Clearance Highway-Rail Grade Crossing signs, 10C-8
 - No Vehicles On Tracks signs, 10C-3, 5-6
 - Number of Tracks signs, 10C-1-2
 - pavement markings, 10C-9-12
 - for pedestrians, 10D-1-2, 6, 7-10
 - regulatory signs, 10C-1-6
 - signs, 10C-1-9
 - Skewed Crossing signs, 10C-8
 - standard devices, systems, and practices, 10A-1
 - Stop Ahead signs, 10C-2-4
 - STOP HERE ON RED signs, 10C-3, 4
 - STOP HERE WHEN FLASHING signs, 10C-3, 4
 - STOP signs, 10B-1, 10C-2-4
 - Storage Space signs, 10C-8
 - temporary traffic control zones, 10A-2-3
 - TRACKS OUT OF SERVICE signs, 10C-3, 4
 - traffic control signal preemption turning restrictions, 10D-4
 - traffic control signals, 10D-3-5
 - types, 10A-1
 - uniform provisions, 10A-2
 - use of traffic control signals for control of light rail transit vehicles at grade crossings, 10D-4
 - Yield Ahead signs, *not used in MD*
 - YIELD signs, *not used in MD*
- Highway-Rail Grade Crossing Advance Warning signs, 5F-1, 8B-4-5
- Highway-Rail Grade Crossing (Crossbuck) signs, 5F-1, 8B-1, 4
- Highway-rail grade crossings. *See also* Highway-light rail transit grade crossings
 - active grade crossing warning systems, 4A-1
 - Advance Warning signs, 5F-1, 8B-4-5, 7
 - automatic gates, 8D-2, 3-4
 - defined, 1A-12
 - definitions of terms, 8A-1-3
 - DO NOT STOP ON TRACKS signs, 8B-5-6
 - dynamic envelope markings, 8B-10, 13
 - elimination of, 8A-3-4
 - Emergency Notification signs, 8B-7, 8
 - EXEMPT signs, *not used in MD*
 - flashing-light signals, 8D-1-3, 5
 - Four-Quadrant Gate systems, 8A-1-2, 8D-4-6
 - "Highway-Rail Intersection Architecture," 1A-10
 - illumination at, 8C-1
 - LOOK signs, 8B-8
 - Low Ground Clearance highway-Rail Grade Crossing signs, 8B-8-9
 - low-volume roads, 5F-1-2
 - no-passing zone markings, 3B-8
 - NO SIGNAL signs, 8B-8
 - NO TRAIN HORN signs, 8B-8
 - Number of Tracks signs, 8B-1
 - pavement markings, 5F-1, 8B-10-13
 - "Preemption of Traffic Signals at or near Railroad Grade Crossings with Active Warning Devices," 1A-8
 - regulatory signs, 8B-5-9
 - signs and markings, 8B-1-13
 - sizes of signs, 8B-1, 2-3
 - Skewed Crossing signs, 8B-10
 - Standard devices, systems, and practices, 8A-3
 - STOP HERE ON RED signs, 8B-6, 7
 - STOP HERE WHEN FLASHING signs, 8B-6, 7
 - stop lines, 8B-10
 - STOP signs, 5F-1, 8B-6
 - Storage Space signs, 8B-9-10
 - temporary traffic control, 6G-12
 - temporary traffic control zones, 8A-4
 - TRACKS OUT OF SERVICE signs, 8B-6, 7
 - traffic control signals at or near, 8D-6-7
 - train detection devices, 8D-6
 - TRAINS MAY EXCEED 130 km/h (80 MPH) signs, 8B-7, 9
 - turn restrictions during preemption signs, 8B-5
 - "2000 AREMA Communications & Signals Manual," 1A-8
 - uniform provisions, 8A-3
 - work in vicinity of, 6H-96-97
 - YIELD signs, *not used in MD*
- "Highway-Rail Intersection Architecture," 1A-10
- Highway signs
 - "Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways," 1A-8
 - "List of Control Cities for Use in Guide Signs on Interstate Highways," 1A-8
 - "Standard Highway Signs," 1A-8
- Highway traffic signals. *See also* Traffic control signals; Traffic signals
 - defined, 1A-12, 4A-3-4
 - definitions of terms, 4A-1-4
 - flashing beacons, 4K-1-2
 - In-Roadway Warning Lights, 4L-1-2
 - pedestrian control features, 4E-1-9
 - types, 4A-2
- Highways. *See also* Divided highways; Expressways; Freeways; Roadways
 - arterial, 1A-11
 - collector, 1A-11
 - defined, 1A-12
 - guide signs for numbered highway systems, 2D-4-6
 - "Highway Capacity Manual," 1A-10
 - named, 2D-34-35
 - "Recommended Procedures for the Safety Performance Evaluation of Highway Features," 1A-10
 - rural, 1A-14
 - temporary traffic control, 6G-7-9
 - two-lane, two-way traffic on one roadway of a normally divided highway, 6G-11
 - work within the traveled way of two-lane highways, 6G-6-7
- HIKER BIKER TRAIL CROSSING sign, 2C-32, 9B-9
- HILL BLOCKS VIEW signs, *not used in MD*
- Hill-Related plaques, 2C-35
- Hill signs, 2C-10-11, 5C-1-2, 9B-9
- Hitchhiking
 - No Hitchhiking signs, 2B-66-67
- Horizontal Alignment signs, 2C-4, 7, 8, 9, 5C-1, 2, 7-8
- Horse-drawn vehicles
 - SHARE THE ROAD plaques, 2C-35-36
- Hospital signs, 2D-28, 29, 30, 2E-58, 59
- HOV. *See* High-occupancy vehicle
- HOV 2+ word message, 2B-31
- HOV lanes. *See* High-occupancy vehicle lanes
- HURRICANE SHELTER signs, 2I-4

I

- I-11 signs. *See* Recycling Collection Center symbol signs
- I-12 signs. *See* Light Rail Transit Station signs
- I Series. *See* General information signs
- I1-1 signs. *not used in MD*
- I95-2 series. *See* County Line signs
- I95-10 signs. *See* Safety Belts Buckled? signs
- IES. *See* Illuminating Engineering Society
- ILEVs. *See* Inherently low emission vehicles
- Illuminating Engineering Society
 - “Practice for Roadway Lighting,” 1A-8
- Illumination. *See also* Lighting
 - for conventional road guide signs, 2D-1
 - flagger stations, 6H-24, 58, 96
 - of guide signs for freeways and expressways, 2E-2
 - highway-light rail transit grade crossing signs, 10C-9
 - at highway-rail grade crossings, 8C-1
 - pedestrian signal indications, 4E-2
 - school signs, 7B-1
 - sign illumination, 1A-14, 2A-3-5
 - signal indication, 4A-3
 - of signal sections, 4D-19-21
 - standards, 2A-3-5
 - steady (steady mode), 4A-4
 - traffic control devices, low-volume roads, 5A-1
- In-roadway lights
 - application of, 4L-1
 - at crosswalks, 4L-1-2
 - defined, 4A-2
- In-Roadway Warning Lights, 4L-1-2
- In-Street pedestrian Crossing signs, 2B-16
- Incident management
 - color code, 1A-10
 - control of traffic through traffic incident management areas, 6I-1-4
 - use of emergency-vehicle lighting, 6I-4
- Indicated movement permitted
 - color code, 1A-10
- Inherently Low Emission Vehicle signs, 2B-37
- Inherently low emission vehicle
 - defined, 1A-12
 - eligibility, testing and certification requirements, 2B-37-38
- Institute of Makers of Explosives
 - “Safety Guide for the Prevention of Radio Frequency Radiation Hazards in the Use of Commercial Electric Detonators (Blasting Caps),” 1A-8
- Institute of Transportation Engineers
 - “Manual of Traffic Signal Design,” 1A-8
 - “Manual of Transportation Engineering Studies,” 1A-8
 - “Maryland Supplement Sign Book”, 1A-8
 - “Maryland Transportation Authority Standard Sign Book”, 1A-8
 - “Pedestrian Traffic Control Signal Indications,” 1A-8
 - “Preemption of Traffic Signals at or Near Railroad Grade Crossings with active Warning Devices,” 1A-8
 - “Purchase Specification for Flashing and Steady Burn Warning Lights,” 1A-10, 6F-41
 - “School Trip Safety Program Guidelines,” *not used in MD*
 - “Traffic Control Devices Handbook,” 1A-10
 - “Traffic Detector Handbook,” 1A-10
 - “Traffic Engineering Handbook,” 1A-10
 - “Traffic Signal Lamps,” 1A-10
 - “Vehicle Traffic Control Signal Heads,” 1A-10
- “Interagency Work Zone Service Agreement”, 6A-2
- Interchanges
 - Advance Guide signs, 2E-23-24, 29, 30
 - arrows for guide signs, 2E-9
 - classification of, 2E-27
 - closely-spaced, 2E-38, 48
 - cloverleaf, 2E-42-44, 47-48
 - community identification, 2E-39, 40
 - defined, 1A-12
 - diamond, 2E-45-46, 48
 - Distance signs, 2E-36-37
 - double-exit, 2F-5-6
 - Exit Direction signs, 2E-31, 33-34
 - Exit Gore signs, 2E-34-36
 - exit numbering, 2E-24-27, 28
 - freeway-to-freeway, 2E-40-41, 47
 - intermediate, 1A-12
 - lane drops signing, 2E-14
 - letter size for guide signs, 2E-10-13
 - major, 1A-13
 - minor, 1A-13, 2E-49, 50
 - multi-exit signs, 2E-33
 - pavement markings extended into or continued through, 3B-44-49
 - post-interchange signs, 2E-36
 - sequence signs, 2E-37-40
 - sighting by type of interchange, 2E-40
 - single-exit, 2F-5
 - Specific Service signs, 2F-5
 - temporary traffic control, 6G-12
 - wrong-way traffic control at interchange ramps, 2E-58
- Interconnections
 - defined, 8A-1
- Interim approval of devices, 1A-7-8
- Intermediate interchanges
 - defined, 1A-12
- Intermediate Reference Location signs, 2D-31-33
- Intermediate traffic incidents, 6I-1, 3
- Intermodal Surface Transportation Efficiency Act of 1991, A1-1
- International Symbol of Accessibility for the Handicapped signs, 2D-28
- Interpretation of Manual, 1A-4-5
- Intersection control beacons
 - defined, 4A-2
- Intersection Lane Control signs
 - Advance Intersection Lane Control, 2B-27
 - applications, 2B-27
 - combination horizontal Alignment/Intersection, 2C-7, 8
 - DO NOT BLOCK INTERSECTION, 2B-68, 69
 - Mandatory movement lane Control, 2B-37-38
 - Optional Movement lane Control, 2B-27
- Intersection Warning signs, 2C-30, 31, 5C-1, 9B-7
- Intersections. *See also* Intersection Lane Control signs; STOP signs; Traffic control signals; YIELD signs
 - bicycle lane pavement markings, 9C-2
 - circular, 1A-11, 3B-92-95
 - CIRCULAR YELLOW signals, 2C-31
 - closure at side of, 6H-58-59
 - CROSS TRAFFIC DOES NOT STOP plaques, 2C-31, 35-36
 - defined, 1A-13, 4A-2
 - emergency-vehicle traffic control signals at, 4F-2
 - flashing beacons, 4K-1
 - at grade, 2E-23
 - half road closure on far side of, 6H-52-53
 - islands, 3G-1
 - lane closures in center of, 6H-56-57
 - lane closures on near side of, 6H-4-47
 - left lane closure on far side of, 6H-50-51
 - multiple lane closures at 6H-54-55
 - ONCOMING TRAFFIC HAS EXTENDED GREEN signs, 2C-31
 - ONCOMING TRAFFIC MAY HAVE EXTENDED GREEN, signs, 2C-31
 - pavement markings extended into or continued through, 3B-44, 46-47
 - right lane closure on far side of, 6H-48-49
 - roundabout, 1A-14, 3B-92, 94-95
 - sign locations, 2A-10
 - Specific Service signs, 2F-6
 - t-intersections, 2C-30, 31, 4D-4
 - temporary traffic control, 6G-9-10
 - warning signs, 2C-30, 31, 5C-1, 2, 9B-7
- Intersection Bicycle Route signs, 9B-10, 14
- Interstate Route signs
 - design of, 2D-4-5

“Establishment of a Marking System of the Routes Comprising the National System of Interstate and Defense Highways,” 2D-5

Interval sequences
defined, 4A-2

Intervals
defined, 4A-2

Islands
approach-end treatment, 3G-1
colored pavement for, 3E-1
colors, 3G-1-2
delineators, 3G-2
Double Arrow signs, 2C-14
marking application, 3G-1
object markers, 3G-2
temporary raised, 6F-37-38
use of, 3G-1

ITE. *See* Institute of Transportation Engineers

J

Jay-walking, 2B-67

Junction auxiliary signs, 2D-6

Junctions
Combination Junction Signs, 2D-6
Junction assembly, 2D-9, 14
Junction auxiliary signs, 2D-6

K

Keep left signs, 2B-44

KEEP OFF MEDIUM signs, 2B-71

Keep Right signs, 2B-44, 6H-82

L

Land Recreation signs, 2H-1

Lane closures
CENTER LANE CLOSED AHEAD signs, 6F-18
in center of intersection, 6H-56-57
double lane closure on freeway, 6H-78-79
interior lane closure on freeway, 6H-80-81
interior lane closure on multi-lane street, 6H-64-65

Lanes(s) Closed signs, 6F-18

LEFT LANE CLOSED XX m (FT) signs, 6H-64, 66
left lane closure on far side of intersection, 6H-50-51
on minor street, 6H-40-41
on multi-lane, high-speed highway, 6H-68-69
on multi-lane roads, 6G-8-9
multiple lane closures at intersection, 6H-54-55
on near side of intersection, 6H-46-47
right lane closure on far side of intersection, 6H-48-49
stationary lane closure on divided highway, 6H-70-71
on street with uneven directional volumes, 6H-66-67
with temporary traffic barrier, 6H-72-73
on two-lane road using flaggers, 6H-24-25
on two-lane road using traffic control signals, 6H-28-29
on two-lane road with low traffic volumes, 6H-26-27

Lane drops
markings for *conventional road*, 3B-74-77
markings for *freeway and expressway*, 3B-21-25
signing for, 2 E-9, 13, 14, 20, 21

LANE ENDS MERGE LEFT (RIGHT) signs, 2C-20, 21

LANE ENDS signs, 2B-35, 2C-20, 21, 6F-19

Lane line markings
defined, 1A-13

Lane reduction transition
pavement markings, 3B-44, 50-53

Lane shifts
on freeways, 6H-76-77

Lane-use control signals
application of, 4J-1
defined, 1A-13, 4A-2
design, 4J-2-3
meaning of, 4J-1
operation of, 4J-3-4

Lane-use markings
arrows, 3B-75-79

Lanes. *See also* High-occupancy vehicle lanes
Added Lane signs, 2C-19
LANE ENDS signs, 2B-35, 2C-20, 21, 6F-19
ONE LANE ROAD signs, 6F-14, 6H-24
opposing traffic lane dividers, 6F-38
Two-Way Traffic signs, 2C-20, 21
UNEVEN LANES signs, 6F-22

Lane(s) Closed signs, 6F-18

Last Detour Bridge Restriction Notice signs, 2B-73

Lateral offset
for freeway and expressway guide signs, 2E-22
for signs, 2A-13

LED. *See* Light-emitting diodes

LEFT LANE CLOSED XX m (FT) signs, 6H-64, 66, 70, 72, 94

LEFT LANE MUST TURN LEFT signs, 6H-50, 54

LEFT ON GREEN ARROW ONLY signs, 2B-68, 69, 4D-6

LEFT TURN SIGNAL YIELD ON GREEN signs, 2B-68, 69

LEFT TURN YIELD ON GREEN signs, 2B-68, 69, 4D-5-6

Left turns
LEFT LANE MUST TURN LEFT signs, 2B-27, 28, 6H-50, 54
LEFT TURN SIGNAL YIELD ON GREEN signs, 2B-68, 69
LEFT TURN YIELD ON GREEN signs, 2B-68, 69
No Left Turn signs, 2B-21-22, 23
No U-Turn/No Left Turn signs, 2B-21-22, 23
permissive only mode, 4D-5
protected only mode, 4D-5-6
protected/permissive mode, 4D-6
separate left-turn signal faces, 4A-3
shared left-turn signal face, 4A-3
steady signal indications, 4D-5-7
two-way left turn land markings, 3B-13-15
Two-Way Left Turn Only signs, 2B-31-32
WHITE ONE WAY LEFT-TURN ARROW, 4J-1-3
WHITE TWO-WAY LEFT TURN ARROW, 4J-1-3

Legends. *See* Design; Sign legends

Lenses. *See* Signal lenses

Letter codes
meaning of on typical application diagrams, 6H-5

Lettering
school signs, 7B-1
size for conventional road guide signs, 2D-2-3
size for freeway and expressway signs, 2E-5-9
Specific Service signs, 2F-5
“Standard Highway Signs,” 1A-8, 7B-1
style for conventional road guide signs, 2D-2
style for freeway and expressway signs, 2E-5-9
tourist-oriented *generator* directional signs, 2G-5
for word message signs, 2A-8

Letters
edge spacing, 2E-5
interline spacing, 2E-5

Light Blue
general meaning, 1A-10

Light-emitting diodes
defined, 4A-2
for signs, 2A-5

Light rail
preferential lane signs, 3B-88

Light Rail Transit Approaching-Activated Blank-Out signs, 10C-8

Light Rail Transit Only Lane signs, 10C-6

Light Rail Transit Station signs, 10C-8
 Lighting. *See also* Illumination
 “Practice for Roadway Lighting,” 1A-8
 use of emergency-vehicle lighting in traffic incident management, 6I-4
 Lighting devices
 for temporary traffic control, 6F-40-42
 Lights
 in-roadway, 4A-2, 4L-1-2
 “List of Control Cities for Use in Guide Signs on Interstate Highways,” 1A-8
 Load limits
 Weight Limit signs, 2B-71, 72, 6F-12
 Local Traffic Only signs, 2B-71, 72, 6F-11-12
 Locations
 of Destination signs, 2D-19
 of Distance signs, 2D-21
 of movable bridge signals and gates, 4I-1-2
 of pedestrian signal indications, 4E-2
 of pushbuttons for accessible pedestrian signals, 4E-8
 of signal faces, 4D-12-13
 of signal faces by approach, 4D-13-16
 of signs, 2A-8-11
 Specific Services Signing (LOGO) Program, 2F-2
 Specific Service signs, 2F-4
 Tourist-oriented generator directional signs, 2G-8
 Lodging signs, 2D-28, 29, 2E-57
 Logos
 defined, 1A-13
 Specific Service signs, 2F-2-3
 TRAVEL INFO CALL 511 signs, 2D-29
 Longitudinal channelizing barricades, 6F-36-37
 Longitudinal markings
 colors, 3A-2
 defined, 1A-13
 patterns of, 3A-2-3
 with raised pavement markers, 3B-5, 7, 15, 17-19, 23, 25, 27, 29, 31, 33, 36, 38, 40, 58
 white, 3B-4-8, 14-41
 widths of, 3A-2-3
 yellow, 3B-8-12
 LOOK signs
 highway-light rail transit grade crossings, 10C-2
 highway-rail grade crossings, 8B-6, 8
 Loop routes
 interchange numbering, 2E-26
 Low Clearance signs, 2C-13, 14-15
 Low Ground Clearance highway-Rail Grade Crossing signs, 8B-8-9, 10C-8
 LOW SHOULDER signs, 2C-15, 16, 6F-22, 6G-5
 Low Trucks Bottom Out sign, 2C-36
 Low-volume roads. *See also* Traffic control devices, low-volume roads
 defined, 5A-1
 surveying along centerline of road, 6H-36-37
 work in center of road, 6H-34-3
 LP-Gas signs, 2D-29, 2E-57

M

M1-9 signs. *See* Interstate Bicycle Route signs
 M2-1 signs. *See* Junction auxiliary signs
 M2-2 signs. *See* Combination Junction signs
 M3-1-4 signs. *See* Cardinal Direction auxiliary signs
 M4-1, 1a signs. *See* ALTERNATE auxiliary signs
 M4-2 signs. *See* BY-PASS auxiliary signs
 M4-3 signs. *See* BUSINESS auxiliary signs
 M4-4 signs. *See* TRUCK auxiliary signs
 M405 signs. *See* TO auxiliary signs
 M4-6 signs. *See* END auxiliary signs
 M4-7, 7a signs. *See* TEMPORARY auxiliary signs
 M4-8-10 signs. *See* DETOUR signs
 M5-1-2 signs. *See* Advance Turn Arrow auxiliary signs
 M6 Series. *See* Directional Arrow auxiliary signs

MVL. *See* Maryland Vehicle Law
 Mainline routes
 interchange numbering, 2E-25, 26
 MAINTAIN TOP SAFE SPEED signs, 2I-3-4
 Maintenance
 of bicycle facilities, 9A-1
 of devices, 1A-1-2
 of temporary traffic control signs, 6F-11
 Maintenance of signs, 2A-14
 Major interchanges
 defined, 1A-13
 Major streets
 defined, 1A-13, 4A-2
 warning beacons, 4F-2
 Major traffic incidents, 6I-1, 2-3
 Malfunction management units
 defined, 4A-2
 Mandatory Movement Lane Control signs, 2B-27-28
 “Manual of Traffic Signal Design,” 1A-8
 “Manual of Transportation Engineering Studies,” 1A-8
 Manual on Uniform Traffic Control Devices
 changes to the Manual, 1A-7
 definitions of words and phrases, 1A-11-15
 interpretation of, 1A-4
 relation to other publications, 1A-8, 10
 Markings. *See also* Curb markings; Object markers; Pavement markings
 barricades, 3F-1
 channelizing devices, 1A-11, 3F-1
 colors, 3A-2
 delineators, 3D-1-4, 5E-1
 functions of, 3A-1
 limitations of, 3A-1
 low-volume roads, 5E-1
 materials, 3A-1
 in school areas, 7C-1-3
 standardization of applications, 3A-1
 for vertical panels, 6F-33
 “Maryland State Highway Administration’s NCHRP 350 Compliant Required & Approved Equipment List”, 6F-8
 Maryland State Highway Administration, Page i
 Office of Traffic and Safety (OOTS), Page i
 Traffic Development and Support Division, Page i
 Traffic Engineering Design Division (TEDD), Page i
 “Maryland Supplement Sign Book”, 1A-8
 “Maryland Transportation Authority Standard Sign Book”, 1A-8
 “Maryland Vehicle Law”, 1A-3
 “Maryland Work Zone Traffic Control Typicals”, 6H-1
 Maximum highway traffic signal preemption time
 defined, 8A-1
 Maximum preemption time
 defined, 8A-1
 Median
 KEEP OFF MEDIAN signs, 2B-71
 work within, 6G-6
 Median crossover
 for entrance ramp, 6H-84-85
 for exit ramp, 6H-86-87
 on freeway, 6H-82-83
 Median islands
 longitudinal pavement markings, 3B-11, 19
 Medians
 defined, 1A-13
 Flush medians, 3B-9
 median opening treatments for divided highways with wide medians, 2A-13
 MEDICAL CENTER signs, 2I-4
 Memorial highways
 guide sign characteristics, 2E-3
 Merge signs, 2C-19, 20
 THRU TRAFFIC MERGE LEFT (RIGHT) signs, 6F-18
 NO MERGE AREA plaques, 2B-12
 Merging tapers, 6C-6-7, 6H-46

Message signs. *See* Changeable message signs; Word message signs

Metric system

- “Guide to Metric Conversion,” 1A-8
- legislative requirements, A1-1
- “Traffic Engineering Metric Conversion Folders-Addendum to the Guide to Metric Conversion,” 1A-8

Minimum Speed Limit signs, 2B-19

Minimum track clearance distance

- defined, 8A-1

Minimum vehicular volume

- signal warrant, 4C-1, 2-4

Minimum warning time-through train movements

- defined, 8A-2

Minor interchanges

- defined, 1A-13
- guide sign application, 2E-49, 50

Minor Streets

- defined, 1A-13, 4A-2
- lane closures, 6H-40-41

Minor traffic incidents, 6I-1, 3

Miscellaneous Guide signs, 2E-64-65

- warning signs, 2C-13

Mobile operations

- short-duration or mobile operation of shoulder, 6H-12
- on two-lane road, 6H-38-39

MOTOR-DRIVEN CYCLES PROHIBITED signs, 2B-51

Motorcycles

- HOV lane use, 2B-37

Motorist call boxes, A1-1-2

Motorist Services signs, 2H-1

Motorized Traffic signs, 6F-20

Mounting of signs

- accommodation of pedestrians with disabilities, 6F-2
- methods of mounting other than on posts, 6F-8
- mounting height, 2A-12, 14
- Portable Changeable Message signs, 6F-25-26
- for temporary traffic control, 6F-7-8

Movable barriers

- temporary traffic control, 6G-12

Movable bridge resistance gates

- defined, 4A-2

Movable bridge signals

- defined, 4A-2

Movable bridge warning gates

- defined, 4A-2

Movable bridges

- traffic control signals for, 4I-1-3

Movable highway bridges

- “Standard Specifications for Movable Highway Bridges,” 1A-8

MSHA. *See* Maryland State Highway Administration

Multi-lane, high-speed highways

- half road closures, 6H-68-69

Multi-lane, nonaccess controlled highways

- work within the traveled way of, 6G-7-9

Multi-lane roads

- lane closures, 6G-8-9
- mobile operation on, 6H-74-75

Multi-lane streets

- interior lane closure, 6H-64-65
- interior lane closure on, 6H-64-65

Multiway STOP signs

- applications, 2B-9-10

MUTC. *See* Manual on Uniform Traffic Control Devices

N

N value

- for longitudinal pavement markings, 3B-58

Named highway signing, 2D-34-35

NARROW BRIDGE signs. *See* NARROW BRIDGE signs

- for low-volume roads, 5C-1

National Committee on Uniform Traffic Laws and Ordinances

- “Uniform Vehicle Code (UVC) and Model Traffic ordinances,” 1A-10

National Highway System Designation Act of 1995, A1-1-2

National Network Prohibition signs, 2B-74

National Network signs, 2B-74

National Scenic Byways signs, 2D-36

Neutral Area Chevron Marking, 3B-34

Next Distance plaques, 2C-34

Next Exit supplemental signs, 2E-27, 30, 39

Next Services signs, 2D-29, 2E-58, 59

NEXT X EXITS signs

- for freeways and expressways, 2E-39, 40

Night Speed Limit signs, 2B-10, 19

Nighttime hours

- Night Speed Limit signs, 2B-10, 19
- temporary traffic control during, 6G-12-13

No Bicycles signs, 2B-51, 9B-2

- No Parking Bike Lane signs, 9B-6

NO CENTER STRIPE signs, 6F-22

No Hitchhiking signs, 2B-66-67

No Left Turn signs, 2B-21-22, 23

NO MERGE AREA plaques, 2B-12

NO MOTOR VEHICLES signs, 2B-51, 9B-6

NO OUTLET signs, 2C-13, 14

NO PARKING 8:30 AM TO 5:30 PM signs, 2B-59

NO PARKING ANY TIME signs, 2B-59

No Parking Bike Lane sign, 9B-6

NO PARKING BUS STOP signs, 2B-59

NO PARKING EXCEPT ON SHOULDER signs, 2B-59

NO PARKING EXCEPT SUNDAYS AND HOLIDAYS signs, 2B-59

NO PARKING LOADING ZONE signs, 2B-59

NO PARKING ON PAVEMENT signs, 2B-59, 62

NO PARKING signs, 2B-59

SNOW EMERGENCY ROUTE, 2B-62

NO PASSING ZONE signs, 2C-20, 21

No passing zones

- buffer zones, 3B-8
- centerline markings, 3B-1-3, 6-8
- at curves, 3B-3, 7, 10
- minimum lane transition taper length, 3B-8
- pavement markings, 3B-1-10
- sight distances, 3B-8, 11
- warrants, 3B-1-10

NO PEDESTRIAN CROSSING signs, 2B-39-40

No Right Turn signs, 2B-12, 13

NO SIGNAL signs

- highway-rail grade crossings, 8B-8

NO STANDING ANY TIME signs, 2B-59

NO STOPPING ON PAVEMENT signs, 2B-59

NO TRAFFIC SIGNS, 5C-4

NO TRAIN HORN signs, 8B-8

No Trucks signs, 2B-51

NO TURN ON RED signs, 2B-68, 69, 70

NO TURN ON RED ARROW sign, 2B-69, 70

NO TURNS signs, 2B-21-22, 23

No U-Turn/No Left Turn signs, 2B-21-22, 23

No U-turns signs, 2B-21-22, 23

No Vehicles On Tracks signs, 10C-3, 5-6

NON-MOTORIZED TRAFFIC PROHIBITED signs, 2B-51

Nonvehicular signs, 2C-32-33

NORTH. *See* Cardinal directions

Northwestern University, Center for Public Safety

- “Civilian Guards For School Crossings,” 7E-1

NEW TRAFFIC PATTERN AHEAD signs, 2B-7

NOTICE /CROSS TRAFFIC WILL NOT STOP EFFECTIVE

- XXXX signs, 2B-7

NOTICE /THIS STOP SIGN SHALL BE REMOVED

- EFFECTIVE XXXX signs, 2B-7

Number of Tracks signs, 8B-1

- for highway-light transit grade crossings, 10C-1-2

Numbered highway systems

- “Establishment and Development of United States Numbered Highways,” 2D-5
- guide signs for, 2D-4

O

Object markers. *See also* Markings

- for bridge abutment, 3C-1-2, 4
- for bridge end, 3C-1-2, 4
- defined, 1A-13
- designs, 3C-1
- end-of-roadways, 3C-2, 3
- islands, 3G-2
- low-volume roads, 5E-1
- for objects adjacent to the roadway, 3C-3
- placement height, 3C-1
- for roadway obstructions, 3C-1

Obstructions

- approach markings, 3B-50, 56-67
- bicycle lane markings for, 9C-5, 11
- Double Arrow signs, 2C-14
- intermittent, 2C-17
- object markers for, 3C-1
- permanent, 2C-17

Occupancy requirements. *See also* High-occupancy vehicle lanes

- defined, 1A-13

Occupants

- defined, 1A-13

Occupational Safety and Health Administration

“Occupational Safety and Health Administration Regulations (Standards-29 CFR), General Safety and health Provisions-1926.20,” 1A-10

Off-Interstate Business Route signs

- design of, 2D-5

OK word message, 2B-31

ON RAMP plaques, 6F-19

ONCOMING TRAFFIC DOES NOT STOP plaques, 2C-36

ONCOMING TRAFFIC HAS EXTENDED GREEN signs, 2C-31

ONCOMING TRAFFIC MAY HAVE EXTENDED GREEN signs, 2C-31

One-Direction Large Arrow signs, 2C-9

ONE HOUR PARKING 9 AM-7 PM signs, 2B-59

One-lane, two-way facilities

- traffic control signals for, 4G-1

One-lane, two-way traffic control

- flag transfer method, 6C-11
- flagger method, 6C-11
- pilot car method, 6C-11
- stop control method, 6C-12
- temporary traffic control signal method, 6C-12
- yield control method, 6C-12

ONE LANE BRIDGE signs, 2C-12, 13

- for low-volume roads, 5C-1

ONE-LANE ROAD AHEAD signs, 6H-26, 58

ONE LANE ROAD signs, 6F-14, 6H-24

ONE WAY signs

- at interchange ramps, 2E-56
- Turn Prohibition signs and, 2B-22
- use of, 2B-52, 53-58

ONLY word message, 2B-31

OOTS. *See* Maryland State Highway Administration, Office of Traffic and Safety (OOTS)

Operating speed

- defined, 1A-14

Operation of devices, A1-2

Opposing traffic lane dividers, 6F-38

Optional Movement Lane Control signs, 2B-27, 28, 31

Orange

- general meaning, 1A-10

OSHA. *See* Occupational Safety and Health Administration

OTHER TIMES message, 2B-32

Overhead signs

- installation, 2A-11-12, 2E-20
- lateral offset, 2A-13
- number signs at one location, 2E-3-4
- preferential lane signs, 2B-35, 36, 37, 2E-34-41
- Pull-Through, 2E-4
- School Crossing sign, 7B-2, 6, 19

P

Pace speed

- defined, 1A-14

Paddles

- flagger control, 6E-1-2
- methods of signaling with paddles, 6E-2, 4
- STOP/SLOW paddles, 6E-1-2, 7E-2

PARK & RIDE signs, 2D-25, 2E-32-33

Park Route signs

- design of, 2D-6

Parking

- EMERGENCY PARKING ONLY signs, 2B-62, 63
- PARK & RIDE signs, 2D-25, 2E-32-33
- Parking Area signs, 2D-25, 9B-14
- parking space markings, 3B-70, 71, 72
- RESERVED PARKING signs for persons with disabilities, 2B-59
- school areas, 7B-21
- TRUCK PARKING signs, 2D-28, 29, 2E-60

Parking Area signs, 2D-25

PARKING AREA X km (X MILE) signs, 2D-25

Parking prohibition signs

- design of, 2B-60, 61, 62
- DO NOT STOP ON TRACKS signs, 8B-5-6
- EMERGENCY PARKING ONLY, 2B-63
- emergency restriction, 2B-63
- examples of, 2B-60-62
- for low-volume roads, 5A-1
- No Parking Bike Lane signs, 9B-6
- placement of, 2B-63
- school areas, 7B-21, 7C-2
- SNOW EMERGENCY ROUTE, 2B-62

PASS WITH CARE signs, 2B-41, 42

- TRUCKS PASS WITH CARE signs, 2B-41

Passing

- Do Not Pass Light Rail Transit signs, 10C-6
- DO NOT PASS signs, 2B-41, 42, 2C-21, 6H-82
- NO PASSING ZONE signs, 2C-20, 21
- PASS WITH CARE signs, 2B-41, 42
- TRUCKS DO NOT PASS signs, 2B-41
- TRUCKS PASS WITH CARE signs, 2B-41

Paved

- defined, 1A-13

PAVED supplemental plaque, 2C-12

PAVEMENT ENDS signs, 2C-15, 5C-2

Pavement markers

- raised, 1A-13, 3B-5, 7, 15, 17-19, 23, 25, 27, 29, 31, 33, 36, 38, 40, 58, 6F-39
- “Raised Pavement Marker Guidelines”, 3B-58

Pavement markings. *See also* Markings

- approach markings for obstructions, 3B-50, 56-57
- arrows, 3B-70, 73
- for bicycle facilities, 9C-1-11
- for bicycle lanes, 9C-4-9
- “Bicycle and Pedestrian Design Guidelines”, 9A-1, 9C-1, 9D-1
- “By-Pass Lane Policy”, 3B-16
- centerline, 1A-11, 3B-1-10, 5E-1
- “Color Specifications for Retroreflective Sign and Pavement Marking Materials,” 1A-8
- crosswalk, 3B-62-64, 68-70
- edge line, 3B-42, 5E-1
- extensions through interchanges, 3B-44, 46-47

- extensions through intersections, 3B-44, 49
- function of, 7C-1, 9C-1
- “Guideline for Using Edge Line Extensions and Yield Lines”, 3B-44
- High-occupancy vehicle (HOV) lanes, 3A-2, 3B-87-88
- highway-light rail transit grade crossings, 10C-9-12
- highway-rail grade crossings, 5F-1, 8B-10-13
- intersections, 9C-2
- lane reduction transition markings, 3B-44, 50-53
- limitations of 7C-1
- longitudinal, 1A-13, 3A-1-3, 3B-1-11
- on multi-lane high-speed highways, 6H-68-69
- no-passing zones, 3B-1-10
- for obstructions, 9C-5, 11
- parking space, 3B-70, 71, 72
- patterns and colors on shared-use paths, 9C-1-5
- raised, 3B-5, 7, 15, 17-19, 23, 25, 27, 29, 31, 33, 36, 38, 40, 58
- “Raised Pavement Marker Guidelines”, 3B-58
- reversible lanes, 3B-9, 11-12
- “Roadway Delineation Standard”, 3D-1
- roundabout intersections, 3B-92, 94-95
- for school areas, 7C-1-3
- shared-use paths, 9B-13
- speed humps, 3B-93, 96-97
- speed measurement, 3B-83
- speed measurement marking, 1A-14
- standardization of application, 7C-1
- stop lines, 3B-60-65
- symbols, 3B-70, 72, 74-83
- temporary, 6F-39
- temporary traffic control, 6F-37-38
- temporary traffic control zones, 5G-1
- transverse, 1A-15, 3B-60
- white longitudinal, 3B-34-6, 14-41
- word, 3B-70, 72, 74-83
- YIELD AHEAD, 3B-83, 85
- Yield lines, 3B-60-61
- Pavements, colored, 3E-1
- PCMS. *See* Portable Changeable Message Signs
- Peak hour analysis
 - signal warrant, 4C-1, 4, 6, 7
- Pedestrian change intervals
 - defined, 4A-2
- Pedestrian clearance times
 - defined, 4A-2
 - pedestrian detectors, 4E-7
- Pedestrian Crossing signs, 2B-67, 2C-34
- PEDESTRIAN CROSSWALK signs, 6F-12
- Pedestrian facilities
 - defined, 1A-13
- Pedestrian signal heads
 - defined, 4A-2
- Pedestrian signal indications
 - accessible, 4E-2, 4-5
 - accessible pedestrian signal detectors, 4E-7
 - advance WALK indication, 4D-2
 - application of signal heads, 4E-1
 - countdown, 4E-5-7, 9
 - design of 4E-2
 - height of signal heads, 4E-2
 - illumination of, 4E-2
 - intervals, 4E-7, 9
 - location of signal heads, 4E-2
 - phases, 4E-7, 9
 - size of, 4E-2
 - typical, 4E-3
- “Pedestrian Traffic Control Signal Indications,” 1A-8
- Pedestrian warnings
 - color code, 1A-10
- Pedestrians. *See also* Crosswalks; School crossings
 - accessible detectors, 4E-7
 - “Accessible Pedestrian Signals,” 1A-10
 - accessible signals, 4E-2, 4-5
 - “Bicycle and Pedestrian Design Guidelines”, 9A-1, 9C-1, 9D-1
 - change interval, 4A-2
 - clearance time, 4A-2, 4E-6
 - control features, 4E-1-9
 - defined, 1A-13
 - detectable edging for, 6F-37
 - detectors, 4E-7
 - detours, 6H-62-63
 - green signal indications, 4D-2
 - highway-light rail transit grade crossing gates and barriers, 10D-1-2, 6, 7-10
 - HIKER BIKER TRAIL CROSSING sign, 2C-32, 9B-9
 - In-Street Pedestrian Crossing signs, 2B-16, 18
 - intervals of signals, 4E-7, 9
 - jay-walking, 2B-67
 - NO PEDESTRIAN CROSSING signs, 2B-66, 67
 - No Pedestrian Crossing signs, 2B-67
 - “Pedestrian Traffic Control Signal Indications,” 1A-8
 - PEDESTRIANS PROHIBITED signs, 2B-45, 51
 - phases of signals, 4E-7, 9
 - pushbuttons, 4A-2, 4E-4, 6
 - shared-use paths, 1A-14
 - sidewalks, 1A-14
 - signal head, 4A-3
 - Side-of-Street Pedestrian Crossing signs, 2B-16
 - signal heads, 4E-2
 - State Law Stop of Pedestrians Within Crosswalk signs, 2B-17
 - State law Yield to Pedestrians Within Crosswalk signs, *not used in MD*
 - Stop Here To Pedestrians Signs, 2B-16, 18
 - temporary traffic control considerations, 6D-1-4, 6G-4-5
 - traffic control signal provisions, 4D-2
 - traffic signal signs, 2B-67-68, 69
 - TURNING TRAFFIC MUST YIELD TO PEDESTRIANS signs, 2B-69, 70
 - USE CROSSWALK signs, 2B-66, 67
 - vibrotactile pedestrian devices, 4A-4, 4E-5
 - volume signal warrant, 4C-1, 6
 - walk interval, 4A-4
 - WALK ON LEFT FACING TRAFFIC signs, 2B-63, 67
 - Yield Here to Pedestrians signs, *not used in MD*
- PEDESTRIANS PROHIBITED signs, 2B-45, 51
- Perception, Identification, Emotion, and Volition time, 2C-3-4
- Permissive mode
 - defined, 4A-2
- Permissive only mode
 - left-turn traffic, 4D-5-6
 - right-turn traffic, 4D-7-8
- Persons with disabilities. *See also* Accessibility; Accessible pedestrian signals
 - “The Americans with Disabilities Act Accessibility Guidelines for Buildings and Facilities (ADAAG)”, 1A-10, 4E-7, 6A-1, 6E-1, 6F-2, 6G-1, 6I-1
 - International Symbol of Accessibility for the Handicapped signs, 2D-28
 - RESERVED PARKING signs, 2B-59
 - special needs modifications for temporary traffic control, 6G-3-4
- Pharmacy signs, 2D-28
- Phone signs, 2D-28, 29, 2E-58, 59
- PHOTO ENFORCED plaques, 2C-35, 36
- Photo Enforced signs, 2B-10, 70
- PICNIC AREA signs, 2D-25, 26
- PIEV time. *See* Perception, Identification, Emotion, and Volition time
- PILOT CAR FOLLOW ME signs, 6C-11, 6F-24
- Pilot car method of one-lane, two-way traffic control, 6C-11
- Placement of signs
 - authority for traffic control devices, 1A-4, 9A-2
 - for bicycle facilities, 9B-1, 2
 - Highway-Rail Grade Crossing Advance Warning, 10C-6-7
 - of parking prohibition signs, 2B-63
 - recreational and cultural interest areas, 2H-3, 4
 - school signs, 7B-1

- standing prohibition signs, 2B-63
 - STOP signs, 2B-8-10
 - stopping prohibition signs, 2B-63
 - for temporary traffic control, 6F-2, 7-10
 - traffic control devices, A1-2
 - traffic control devices, low-volume roads, 5A-4
 - warning signs, 2C-3-4, 5, 6, 7
 - YIELD signs, 2B-15-16
 - Plaques. *See also* Educational plaques; Supplemental plaques
 - Advisory Speed, 2C-15, 34, 5C-4, 6F-22-23
 - educational, 2H-3, 4
 - [FINES DOUBLE plaques, 7B-4, 5](#)
 - FINES HIGHER, 2B-10, 20
 - ON RAMP, 6F-19
 - RIDE WITH TRAFFIC, 9B-6
 - school areas, 7B-2-4
 - Platoons
 - defined, 1A-13, 4A-3
 - Playground signs, 2C-33
 - Playground warnings
 - color code, 1A-10
 - Police officers
 - for school crossings, 7E-2
 - [Points of Interest and Traffic Generators, 2G-1-4](#)
 - for expressways and freeways, 2G-1-3
 - for conventional roads, 2G-1-2, 4
 - POLICE signs, 2D-30
 - "Policies and Practices for School Safety Patrols," 7E-1
 - "A Policy on Geometric Design of Highways and Streets," 1A-8, 6H-82, 86, 88
 - Portable Changeable Message signs, 6F-25-26
 - ["Policy/Guidelines for the Use of Portable Moveable Concrete Barrier System", 6G-12](#)
 - Portable signs
 - STOP signs, 2B-6
 - [Portable Changeable Message Signs, 2C-17](#)
 - Post-mounted flashing-light signals, 8D-1, 3
 - Posted speed
 - defined, 1A-14
 - Posts
 - for signs, 2A-13-14
 - "Practice for Roadway Lighting," 1A-8
 - Pre-signals
 - defined, 8A-2
 - interconnected highway-rail grade crossings, 8D-7
 - Preemption
 - defined, 8A-2
 - Preemption control
 - advance preemption, 8A-1
 - defined, 4A-3
 - ["Emergency Vehicle Pre-emption and Emergency Traffic Signals Suggested Guideline", 4F-1](#)
 - maximum highway traffic signal preemption time, 8A-1
 - simultaneous preemption, 8A-2
 - of traffic control signals, 4D-11-13, 10D-4
 - turn restrictions during preemption signs, 8B-5
 - "Preemption of Traffic Signals at or Near Railroad Grade Crossings with Active Warning Devices," 1A-8
 - Preferential lane markings
 - longitudinal markings for motor vehicles, 3B-88-91
 - symbols, 3B-87-88, 92
 - words, 3B-87-88, 92
 - Preferential lane signs, 2B-34-41
 - Pretimed operations
 - defined, 4A-3
 - Principle legends
 - defined, 1A-13
 - Priority control
 - defined, 4A-3
 - order of priority, 4D-12
 - of traffic control signals, 4D-11-13
 - Prohibitions. *See also* specific types of prohibitions, e.g., *Traffic movement and prohibition signs*
 - color code, 1A-10
 - Prohibitive slash
 - Use on recreational and cultural interest area signs, 2H-3, 4
 - Protected mode
 - defined, 4A-3
 - Protected only mode
 - left-turn traffic, 4D-5-6
 - right-turn traffic, 4D-7-8
 - Protected/permissive mode
 - left turns, 4D-5-6
 - right turns, 4D-7-8
 - Public law, A1-1-2
 - Public roads
 - defined, 1A-13
 - Public telephone signs. *See* Telephone signs
 - Pull-Through signs, 2E-4
 - [Puppy tracks, 3A-2, 3](#)
 - "Purchase Specification for Flashing and Steady Burn Warning Lights," 1A-10, 6F-41
 - Purple
 - general meaning, 1A-10
 - "Purpose and Policy" statement, 2D-35
 - PUSH BUTTON FOR GREEN LIGHT signs, 2B-66, 67-68
 - PUSH BUTTON FOR WALK SIGNAL signs, 2B-66, 67-68
 - Pushbutton locator tones
 - defined, 4A-3
 - use of, 4E-4, 6-7
 - Pushbuttons
 - defined, 4A-3
 - locations for accessible pedestrian signals, 4E-8
 - use of, 4E-6-7
- ## Q
- Queue clearance times
 - defined, 8A-2
- ## R
- R-7 Series. *See* Parking prohibition signs; Standing prohibition signs
 - R-8 Series. *See* Parking prohibition signs; Stopping prohibition signs
 - R-1- signs. *See* STOP signs
 - R1-2 signs. *See* YIELD signs
 - R1-2a signs. *See* To Oncoming Traffic signs
 - R1-3 signs. *See* 4-WAY STOP signs
 - R1-4 signs. *See* ALL WAY STOP signs
 - R1-5 signs. *See* [Stop Here to Pedestrians signs](#)
 - R1-5a signs. *See* [Stop Here to Pedestrians signs](#)
 - R1-6 signs. *not used in MD*
 - R1-6a signs. *See* In-Street Pedestrian Crossing signs; State Law Stop for Pedestrians Within Crosswalk signs
 - [R1-6a\(1\) signs. *See* Side-of-Street Pedestrian Crossing signs; State Law Stop for Pedestrians Within Crosswalk signs](#)
 - R2-1 signs. *See* Speed Limit signs
 - R2-2 signs. *See* Truck Speed Limit signs
 - R2-3 signs. *See* Night Speed Limit signs
 - R2-4 signs. *See* Minimum Speed Limit signs
 - R2-6 signs. *See* FINES HIGHER plaques
 - R3-1 signs. *See* No Right turn signs
 - R3-2 signs. *See* No Left Turn signs
 - R3-3 signs. *See* NO TURNS signs
 - R3-4 signs. *See* No U-turns signs
 - R3-5, 5a-5g signs. *See* Mandatory Movement Lane Control signs
 - R3-6 signs. *See* Optional Movement Lane Control signs
 - R3-7 signs. *See* Mandatory Movement Lane Control signs
 - R3-8 series. *See* Advance Intersection Lane Control signs

- R3-9a-9b signs. *See* Two-Way Left turn Only signs
 R3-9d, R3-9f-9i signs. *See* Reversible lane control signs
 R3-10-15 signs. *See* Preferential lane signs
 R3-17 signs. *See* Bicycle Lane signs
 R3-18 signs. *See* No U-Turn/No Left Turn signs
 R4-1 series. *See* DO NOT PASS signs
 R4-2 series. *See* PASS WITH CARE signs
 R4-3 signs. *See* SLOWER TRAFFIC KEEP RIGHT signs
 R4-4 signs. *See* BEGIN RIGHT TURN LANE YIELD TO BIKES signs
 R4-5 signs. *See* TRUCKS USE RIGHT LANE signs
 R4-6 signs. *See* TRUCK LANE signs
 R4-7 signs. *See* Keep Right signs
 R4-9 signs. *See* STAY IN LANE signs
 R4-10 signs. *See* RUNAWAY VEHICLES ONLY signs
 R5-1 signs. *See* DO NOT ENTER signs
 R5-1a signs. *See* WRONG WAY signs
 R5-2 signs. *See* No Trucks signs
 R5-3 signs. *See* NO MOTOR VEHICLES signs
 R5-4 signs. *See* COMMERCIAL VEHICLES EXCLUDED signs
 R5-5 signs. *See* TRUCKS (VEHICLES) WITH LUGS PROHIBITED signs
 R5-6 signs. *See* No Bicycles signs
 R5-7 signs. *See* NON-MOTORIZED TRAFFIC PROHIBITED signs
 R5-8 signs. *See* MOTOR-DRIVEN CYCLES PROHIBITED signs
 R5-10c signs. *See* PEDESTRIANS PROHIBITED signs
 R6-1 signs. *See* ONE WAY signs
 R6-2 signs. *See* ONE WAY signs
 R7-1 signs. *See* NO PARKING ANY TIME signs
 R7-2 signs
 NO PARKING 8:30 AM TO 5:30 PM signs, 2B-36
 R7-3 signs. *See* NO PARKING EXCEPT SUNDAYS AND HOLIDAYS Signs
 R7-4 signs. *See* NO STANDING ANY TIME signs
 R7-5 signs. *See* ONE HOUR PARKING 9 AM-7PM signs
 R7-6 signs. *See* NO PARKING LOADING ZONE signs
 R7-8 signs. *See* RESERVED PARKING for persons with disabilities signs
 R7-8a signs. *See* VAN ACCESSIBLE signs
 R7-9, 9a signs. *See* No Parking Bike Lane signs
 R7-107, 107a signs. *See* NO PARKING BUS STOP signs
 R7-201 signs. *See* TOW-AWAY ZONE signs
 R8-1 signs. *See* NO PARKING ON PAVEMENT signs
 R8-2 signs. *See* NO PARKING EXCEPT ON SHOULDER signs
 R8-3 signs. *See* NO PARKING signs
 R8-4 signs. *See* EMERGENCY PARKING ONLY signs
 R8-7 signs. *See* EMERGENCY STOPPING ONLY signs
 R8-8 signs. *See* DO NOT STOP ON TRACKS signs
 R9-1 signs. *See* WALK ON LEFT FACING TRAFFIC signs
 R9-2 signs. *See* CROSS ONLY AT CROSS WALKS signs
 R9-3 signs. *See* NO PEDESTRIAN CROSSING signs
 R9-3a signs. *See* No Pedestrian Crossing signs
 R9-3b signs. *See* USE CROSSWALK signs
 R9-4a signs. *See* No Hitchhiking signs
 R9-7 signs. *See* Shared-Use path Restriction signs
 R9-8 signs. *See* PEDESTRIAN CROSSWALK signs
 R9-9 11 signs. *See* SIDEWALK CLOSED signs
 R10-1-21 signs. *See* Traffic Signal Signs
 R10-18 signs. *See* TRAFFIC LAWS PHOTO ENFORCED signs
 R10-19 signs. *See* Photo Enforced signs
 R10-22 signs. *See* Bicycle Signal Actuation signs
 R11-1 signs. *See* KEEP OFF MEDIAN signs
 R11-2 signs. *See* ROAD CLOSED signs
 R11-3 signs. *See* LOCAL TRAFFIC ONLY signs
 R11-4 signs. *See* LOCAL TRAFFIC ONLY signs
 R12-1 series. *See* Weight limit signs
 R12-5 series. *See* Bridge Restriction Notice signs
 R13-1 series. *See* Advance WEIGHT STATION Exit signs
 R14-1 signs. *See* TRUCK ROUTE signs
 R14-2 signs. *See* Hazardous Material Route signs
 R14-3 signs. *See* Hazardous Material Prohibited signs
 R14-4 signs. *See* National Network signs
 R14-5 signs. *See* National Network Prohibition signs
 R15-1-2 signs. *See* Highway-Rail Grade Crossing (Crossbuck) signs
 R15-4 Series. *See* Light Rail Transit Only Lane signs
 R15-5, 15-5a signs. *See* Do Not Pass Light Rail Transit signs
 R15-6, 6a signs. *See* No Vehicles On Tracks signs
 R15-7 Series. *See* Divided Highway With Light Rail Transit Crossing signs
 R95-3 signs, *see* SNOW EMERGENCY ROUTE (NO PARKING SIGNS) signs
 RA Series. *See* Accommodation Services signs
 Radiation hazards
 “Safety Guide for the Prevention of Radio Frequency Radiation Hazards in the Use of commercial Electric Detonators (Blasting Caps)”, 1A-8
 Radio frequency radiation
 “Safety Guide for the Prevention of Radio Frequency Radiation Hazards in the Use of Commercial Electric Detonators (Blasting Caps)”, 1A-8
 Radio-Traffic Information signs, 2E-65-66
 Radio-Weather Information signs, 2E-65-66
 RAILROAD CROSSING signs, 8B-1
 Railroad tracks. *See also* Highway-light rail transit grade crossing;
 Highway-rail grade crossings
 DO NOT STOP ON TRACKS signs, 2B-63
 Raised pavement markers
 color of, 3B-58
 defined, 1A-13
 “Raised Pavement Marker Guidelines”, 3B-58
 retroreflectivity, 3B-58
 substituting for pavement markings, 3B-59-60
 supplementing other markings, 3B-59
 for temporary traffic control, 6F-39
 as vehicle positioning guides with other longitudinal markings, 3B-59
 Ramp control signals
 defined, 4A-3
 Ramp meters. *See* Ramp control signals
 RAMP NARROWS signs, 6F-19
 Ramp Speed signs, 2C-25, 26, 27, 28, 29
 Ramps. *See also* Exits
 control signals, 4A-3
 direct-access HOV lanes, 2B-40
 freeway entrance ramp traffic control signals, 4H-1
 median crossover for entrance ramp, 6H-84-85
 median crossover for exit ramp, 6H-86-87
 partial exit ramp closure, 6H-90-91
 NO MERGE AREA plaques, 2B-12
 RAMP NARROWS signs, 6F-19
 ON RAMP plaques, 6F-19
 Ramp Speed signs, 2C-25, 26, 27, 28, 29
 truck escape ramp signs, 2C-11, 12
 work in vicinity of entrance ramp, 6H-92-93
 work in vicinity of exit ramp, 6H-88-89
 Reaction time, 4A-3
 Reassurance assembly, 2D-17-18
 “Recommended Procedures for the Safety Performance Evaluation of Highway Features”, 1A-10
 Recreational and cultural interest area signs
 application, 2H-1
 category chart for symbols, 2H-2
 color code, 1A-10
 educational plaque use, 2H-3, 4
 general design requirements, 2H-1, 3
 general directional guide signs for conventional roads, 2H-5
 height and lateral position of signs located within recreational and cultural interest areas, 2H-6
 placement of signs, 2H-3, 4
 prohibitive slash use, 2H-3, 4
 regulatory and warning signs, 2H-1
 scope, 2H-1
 symbol signs, 2H-3, 7-12
 Recreational Vehicle Sanitary Station signs, 2D-28, 29
 Recycling Collection Center signs, 2D-34
 Recycling Collection Center symbol signs, 2D-34
 Red
 delineators, 3D-1, 2
 general meaning, 1A-10

- longitudinal pavement marking delineation, 3A-2-3
- RED ARROW signals, 4D-3-8, 9, 17-18
- RED ARROW signs, 2B-68, 69, 70
- Red clearance intervals
 - defined, 4A-3
 - duration of 4D-9
- Red-red flashing mode, 4D-10-11
- Red signal indications
 - application of 4D-3-8
 - flashing, 4D-10-11
 - flashing red, 4D-3
 - meanings, 4D-3
 - RED ARROW signals, 4D-3
 - RED X, 4J-1-3
- Reduced Speed School Zone Ahead signs, 7B-21
- Reference Location signs
 - for conventional roads, 2D-31-33
 - for freeways and expressways, 2E-63-64
- REGISTRATION CENTER signs, 2I-4
- Regulations
 - color code, 1A-10
- Regulatory signs. *See also* Signs
 - [Advance Bridge Restriction Notice signs](#), 2B-73
 - Advance Intersection Lane Control, 2B-27, 28, 31
 - application of, 2B-1
 - authority for, 6F-11
 - for bicycle facilities, 9B-5, 6-7
 - defined, 1A-13
 - design of, 2B-1, 6F-11
 - Divided Highway Crossing, 2B-55-59
 - DO NOT ENTER, 2B-15, 45, 6H-42-43, 6H-82
 - DO NOT PASS, 2B-41, 42, 2C-21
 - emergency restriction, 2B-62, 63
 - Hazardous Material, 2B-74
 - highway-light rail transit grade crossings, 10C-1-7
 - highway-rail grade crossings, 8B-5-9
 - illumination, 2A-3-5
 - In-Street Pedestrian Crossing, 2B-16
 - Intersection Lane Control, 2B-27
 - Keep Left, 2B-42, 44
 - KEEP OFF MEDIAN, 2B-71
 - Keep Right, 2B-44
 - [Last Detour Bridge Restriction Notice signs](#), 2B-73
 - LOCAL TRAFFIC ONLY, 2B-71, 72
 - low-volume roads, 5B-1-2
 - Mandatory Movement Lane Control, 2B-27-28
 - National Network, 2B-74
 - No Hitchhiking, 2B-66-67
 - ONE WAY, 2B-22, 52, 53-58
 - Optional Movement Lane Control, 2B-27, 28, 31
 - Parking Standing and Stopping, 2B-60-63, 5B-1
 - PASS WITH CARE, 2B-41, 42
 - Pedestrian Crossing, 2B-66, 67
 - Photo enforced, 2B-70
 - preferential lanes, 2B-34-41
 - recreational and cultural interest areas, 2H-1
 - [Restricted Bridge Posting signs](#), 2B-73
 - retroreflectivity, 2A-3-5
 - reversible lane control, 2B-31, 32-34
 - ROAD CLOSED, 2B-71, 72
 - Selective Exclusion, 2B-51
 - size of, 2B-1, 2-6
 - Slow Moving Traffic Lane, 2B-42
 - SLOWER TRAFFIC KEEP RIGHT, 2B-42
 - [SNOW EMERGENCY ROUTE](#), 2B-62
 - [Side of Street Pedestrian Crossing Signs](#), 2B-16
 - Speed Limit, 2B-16, 18-19, 5B-1
 - STOP, 2B-1, 6-8, 9-10, 5B-1
 - temporary traffic control, 6F-1, 9-13
 - traffic control devices, low-volume roads, 5B-1-2
 - traffic movement and prohibition, 5B-1
 - TRUCK ROUTE, 2B-74
 - turn prohibition, 2B-21-25
 - Two-Way Left Turn Only, 2B-31-32
 - WALK ON LEFT FACING TRAFFIC, 2B-63
 - Weigh Station, 2B-73-74
 - Weight Limit, 2B-71-73
 - WRONG WAY, 2B-48-50
 - YIELD, 2B-12, 15-16, 5B-1
- RESERVED PARKING for persons with disabilities signs, 2B-59, 61
- Responsibility for devices, A1-2-3
- Rest Area signs
 - for conventional roads, 2D-25, 26
 - for freeways and expressways, 2E-61, 62
- REST AREA X km (X MILE) signs, 2D-25, 26
- [Restricted Bridge Posting signs](#), 2B-73
- Retroreflectivity
 - bicycle facilities markings, 9C-1
 - channelizing devices, 3F-1, 6F-30-37
 - "Color Specifications for Retroreflective Sign and Pavement Marking Materials," 1A-8
 - cones, 6F-30-31
 - for conventional road guide signs, 2D-1
 - Crossbuck signs, 8B-1, 10C-1
 - defined, 1A-13
 - [Drums](#), 3F-1, 6F-33-34
 - of guide signs for freeways and expressways, 2E-2
 - Highway-Rail Grade Crossing (Crossbuck) signs, 5F-1
 - minimum levels, 2A-5
 - of object markers, 3C-1, 2
 - raised pavement markers, 3B-58
 - of school signs, 7B-1
 - shared-use path signs, 9C-4
 - standards, 2B-3-5
 - of temporary traffic control signs, 6F-2
 - temporary traffic control zones, 6G-2
 - traffic cones, 3F-1
 - traffic control devices, low-volume roads, 5A-1
 - tubular markers, 3F-1, 6F-32-33
- Reverse Curve signs, 2C-4, 7, 8
- Reverse Turn signs, 2C-4, 7, 8
- Reversible lane control signs, 2B-31, 32-33, 4J-1
- Reversible lanes
 - longitudinal pavement markings, 3B-9, 11-12
 - temporary reversible lane using movable barriers, 6H-94-95
- RG Series. *See* General Information signs
- RIDE WITH TRAFFIC plaques, 9B-6
- Ridesharing signs, 2E-66
- RIGHT LANE MUST TURN RIGHT signs, 2B-27, 6H-52
- RIGHT (LEFT) LANE ENDS signs, 2C-20-21
- RIGHT (LEFT) ON RED ARROW AFTER STOP signs, 2B-69, 70
- Right-of-way
 - "Building a True Community-Final Report-Public Rights-of-Way Access Advisory Committee (PRWAAC)", 1A-10
 - for emergency vehicles, 4F-2
- Right-of-way assignment
 - defined, 1A-13, 4A-3
- Right-of-way transfer time
 - defined, 8A-2
- Right turns
 - No Right Turn signs, 2B-21, 22, 23
 - permissive only mode, 4D-7-8
 - protected only mode, 4D-7-8
 - protected/permissive mode, 4D-7-8
 - RIGHT LANE MUST TURN RIGHT signs, 6H-52
- RL Series. *See* Land Recreation signs
- RM Series. *See* Motorist Services signs
- ROAD (AREA) USE PERMIT REQUIRED FOR THRU TRAFFIC signs, 2I-4
- ROAD CLOSED-LOCAL TRAFFIC ONLY signs, 2B-71, 72
- ROAD CLOSED signs, 2B-71, 72, 6H-42-43
- ROAD CLOSED TO THRU TRAFFIC signs, 2B-71, 72
- Road closures
 - with diversion, 6H-18-19

half road closure on far side of intersection, 6H-52-53
 half road closure on multi-lane, high-speed highway, 6H-68-69
 with off-site detour, 6H-20-21
 at side of intersection, 6H-58-59
 temporary, 6H-30-31

ROAD MACHINERY AHEAD signs, 6F-20

ROAD NARROWS signs, 2C-10, 6H-16, 62

ROAD (STREET) CLOSED signs, 6F-11, 14,

ROAD (STRET) WORK signs, 6F-14

Road user services guidance
 color code, 1A-10

Road users
 defined, 1A-13

ROAD WORK AHEAD signs, 6H-6, 12, 26

ROAD WORK NEXT XX km (MILES) signs, 6F-24, 6H-12

Roads. *See also* Expressways; Freeways; Highways; Roadways; Streets
 haul road crossings, 6H-32-33
 public, 1A-13
 ROAD (AREA) USE PERMIT REQUIRED FOR THRU TRAFFIC signs, 2I-4

Roads, conventional. *See* Conventional roads; guide signs, conventional Roads

“Roadside Design Guide”, 1A-8, 6F-1, 42, 43

ROADSIDE PARK X km (X MILE) signs, 2D-25

ROADSIDE TABLE signs, 2D-25

Roadway Condition signs, 2C-14-16

“Roadway Delineation Standard”, 3D-1

Roadway network analysis
 signal warrant, 4C-1, 9

Roadway networks
 defined, 1A-13, 4A-3

Roadways. *See also* Two-way roadways
 approaches and connecting roadways signing, 2E-49, 51-55
 cloverleaf interchanges with collector-distributor roadways, 2E-43, 47
 defined, 1A-13
 end-of-roadway markers, 1A-12
 in-roadway lights, 4A-2, 4L-1-2
 object markers for roadway obstructions, 3C-1
 overlapping routes with detour, 6H-22-23
 “Practice for Roadway Lighting,” 1A-11
 Roadway Condition signs, 2C-14-16
 “Selecting Roadway Design Treatments to Accommodate Bicycles,” 9A-1
 shared, 1A-14
 work within the traveled way of two-lane highways, 6G-6-7

Roundabouts
 defined, 1A-14
 pavement markings, 3B-92, 94-95
 “Roundabout Traffic Design Guideline”, 3B-92

Route signs. *See* Guide signs, conventional roads; Guide signs, freeways and expressways

Routes
 overlapping routes with detour, 6H-22-23

RS Series. *See* Winter recreation signs

Rumble strips
 colors for, 6F-45
 defined, 1A-14
 for temporary traffic control, 6F-45
 use of, 3G-1

RUNAWAY VEHICLES ONLY signs, 2C-11, 12

Rural areas
 guide sign characteristics, 2E-2-3

Rural arterials
 edge line markings, 3A-2, 3, 3B-44, 49

Rural highways
 defined, 1A-14

RW Series. *See* Water Recreation signs

S

S1-1 signs. *See* School Advance Warning signs

S2-1(2). *See* Overhead School Crossing signs

S3-1 signs. *See* SCHOOL BUS STOP AHEAD signs

S4-4 series. *See* school Sign Supplemental Plaques

S4-5, 5a signs. *See* Reduced Speed School Zone Ahead signs

S5-2 signs. *See* END SCHOOL ZONE signs

S95-1. *See* Unlawful to Pass Stopped School Bus signs

S95-2. *See* Stop for School Bus signs

“Safe Routes to School Program”, 7A-1

Safety
 “American National Standard for High-Visibility Safety Apparel,” 1A-8
 “Occupational Safety and Health Administration Regulations (Standards-29 CFR), General Safety and Health Provisions-1926.20,” 1A-10
 “Recommended Procedures for the Safety Performance Evaluation of Highway Features,” 1A-10
 “Safety Guide for the Prevention of Radio Frequency Radiation Hazards in the Use of Commercial Electric Detonators (Blasting Caps),” 1A-8
 “Safe Routes to School Program”, 7A-1
 “School Trip Safety Program Guidelines,” *not used in MD*

Safety apparel
 for flaggers, 6E-1

The Safety Equipment Association
 “American National Standard for High-Visibility Safety Apparel,” 1A-8
 “Safety Guide for the Prevention of Radio Frequency Radiation Hazards in the Use of Commercial Electric Detonators (Blasting Caps),” 1A-8

Safety Belts Buckled? sign, 2D-34

SAND supplemental plaque, 2C-11, 12

SCENIC AREA signs, 2D-26

Scenic Area signs
 for conventional roads, 2D-26
 for freeways and expressways, 2E-61, 62

SCENIC OVERLOOK signs, 2D-26

SCENIC VIEW signs, 2D-26

School Advance Warning signs, 7B-1-4, 6

School areas
 Advance Warning signs, 7B-1-4, 6
 crossing supervision, 7E-1-2
 crosswalk warning signs, 7B-4-6, 10-11, 13-19
 curb markings, 7C-2
 Flag-In-The-Air, 7D-1
 “Guidelines and Typical for School Zones and Areas along State Highways”, 7A-1
 In-Street Pedestrian Crossing, 7B-2, 6
 markings, 7C-1-3
 need for standards, 7A-1
 Overhead School Crossing sign, 7B-2, 6, 19
 pavement word and symbol markings, 7C-2-3
 plaques, 7B-2-4
 route plans, 7A-1, 2
 “Safe Routes to School Program”, 7A-1
 signals, 7D-1
 signs, 7B-1-21
 standardization of traffic control, 7A-1, 3
 Stop for School Bus, 7B-2
 stop lines, 7C-2
 traffic control with school speed limits, 7B-12-16, 19
 Unlawful to Pass Stopped School Bus, 7B-2
 yield lines, *not used in MD*

SCHOOL BUS STOP AHEAD signs, 7B-6

School bus warnings
 color code, 1A-10, 7B-1

School crossing
 adult crossing guards, 7E-1-2
 control criteria, 7A-3
 established, 7A-1, 3

- grade-separated, 7F-1
- signal warrant, 4C-1, 8, 7D-1
- student patrols, 7E-1, 2
- types of supervision, 7E-1
- uniformed law enforcement officers, 7E-2
- School Crosswalk Warning Assembly, 7B-4-6, 10-11, 13-19
- SCHOOL plaques, 7B-2-3
- School signs
 - color of, 7B-1-2
 - END SCHOOL ZONE signs, 7B-21
 - illumination, 7B-1
 - in-street, 7B-20
 - lettering, 7B-1
 - mounting height, 7B-1
 - parking, 7B-21
 - placement of signs, 7B-1
 - Reduced Speed School Zone Ahead signs, 7B-21
 - Retroreflection, 7B-1
 - Retroreflectivity, 7B-1
 - SCHOOL BUS STOP AHEAD signs, 7B-6
 - School Crosswalk Warning Assembly, 7B-4-6, 10-11, 13-19
 - School Speed Limit assembly, 7B-12-16, 19, 20-21
 - size of, 7B-1, 2
 - stopping, 7B-21
- School Speed Limit assembly, 7B-12-16, 19, 20-21
- "School Trip Safety Program Guidelines," *not used in MD*
- School warnings
 - color code, 1A-10
- SCHOOL word marking, 7C-2-3
- SCHOOL ZONE plaques, 2B-20
- Screens
 - for temporary traffic control, 6F-46
- "Selecting Roadway Design Treatments to Accommodate Bicycles," 9A-1
- Selective Exclusion signs, 2B-51
- Semiactuated operation
 - defined, 4A-3
- Separate left-turn signal faces
 - defined, 4A-3
- Separation time
 - defined, 8A-2
- Sequence signs
 - for interchanges, 2E-37-40
- Shapes
 - for signs, 2A-5, 6
- SHARE THE ROAD plaques, 2C-35, 36, 9B-9
- Shared left-turn signal faces
 - defined, 4A-3
- Shared roadways
 - defined, 1A-14
- Shared-Use Path Restriction signs, 9B-6
- Shared-use paths
 - centerline markings, 9C-3
 - defined, 1A-14, 9A-1
 - patterns and colors of pavement markings, 9C-1-5
 - sign placement, 9B-1, 2
 - signing and markings for, 9B-11, 13
- Shelter Directional signs, 2I-4-5
- Shifting tapers, 6C-8
- "SHA's Temporary Traffic Control Training Program", 6E-1
- SHOULDER CLOSED signs, 6G-5, 6H-14
- SHOULDER DROP OFF signs, 2C-15, 16, 6F-22
- SHOULDER WORK signs, 6H-6, 10-11
- Shoulder Work signs, 6F-20-21
- Shoulders
 - "By-Pass Lane Policy", 3B-16
 - closure on freeway, 6H-14-15
 - NO PARKING EXCEPT ON SHOULDER signs, 2B-59, 62
 - short-duration or mobile operation on, 6H-12-13
 - SHOULDER CLOSED signs, 6G-5
 - Shoulder Work signs, 6F-20-21
 - signs, 2C-15, 16
 - tapers, 6C-8
 - work beyond the shoulder, 6H-6
 - work on, 6H-10-11
 - work on the shoulder with minor encroachment, 6G-6
 - work on the shoulder with no encroachment, 6G-5-6
 - work outside of 6G-5
 - work with minor encroachment, 6H-16-17
- Side of Street Pedestrian Crossing signs, 2B-16
- Side Road signs, 2C-9, 30
- SEWALK CLOSED signs, 6F-12
- Sidewalks
 - bypass, 6H-60-61
 - closures, 6D-1, 6F-12, 6H-60-61
 - defined, 1A-14
- Sight distances
 - minimum, 4D-14, 16
 - no passing zones, 3B-8, 11
 - stopping sight distances as a function of speed, 6C-8, 6E-4
- Sign assembly
 - Advance Route Turn, 2D-14-16
 - Confirming, 2D-17-18
 - controller, 4A-1
 - defined, 1A-14
 - Directional, 2D-17
 - Junction, 2D-9, 14
 - Reassurance, 2D-17-18
 - route signs, 2D-9-13
 - school crosswalk warning, 7B-4-6, 10-11, 13-19
 - signal ahead warning (NEW), 2C-17
 - Trailblazer, 2D-18, 2E-22-23
- Sign illumination
 - defined, 1A-14
- Sign installation
 - overhead signs, 2A-11-12
 - school signs, 7B-1
- Sign legends. *See also* Design
 - amount of legend on conventional road guide signs, 2D-3
 - amount of legend on freeway and expressway guide signs, 2E-3
 - defined, 1A-13, 1A-14
 - EVACUATION ROUTE, 2I-1
 - on parking signs, 2B-60
 - for preferential lane signs, 2B-34-38
 - for reversible lane control signs, 2B-32, 34
- Signs panels
 - defined, 1A-14
- Sign spreading, 2E-3-4
- Signal Ahead warning (NEW) Assembly, 2C-17
- Signal backplates
 - defined, 4A-3
- Signal coordination
 - defined, 4A-3
- "Signal Design Manual", 4A-1
- Signal faces
 - arrangement of signal sections, 4D-16-18
 - for bicycle facilities, 9D-1
 - defined, 4A-3
 - lane-use control signals, 4J-2
 - location of, 4D-13-16
 - number of 4D-13-16
 - positioning of 4D-18, 20
 - shielding of, 4D-18, 20
 - sight distances, 4D-14-16
 - size of, 4D-13-16
 - typical arrangements of signal lenses in 4D-19
 - visibility of, 4D-18, 20
- Signal heads
 - defined, 4A-3
 - pedestrian, 4A-2
- Signal housings
 - defined, 4A-3
- Signal indications. *See also* specific types of indications, e.g., Red signal indications
 - for bicycle facilities, 9D-1

- defined, 4A-3
- lane-use control signal indications, 4J-1
- for pedestrians, 4E-1
- advance WALK indication, 4D-2
- Signal lenses
 - defined, 4A-3
 - size of 4D-13
 - traffic control for movable bridges, 4I-2
 - typical arrangements of, 4D-19
- Signal louvers
 - defined, 4A-3
- Signal phases
 - defined, 4A-3
 - for pedestrian signal indications, 4E-7, 9
- Signal sections
 - arrangement of 4D-16-18
 - color of, 4D-20
 - defined, 4A-3
 - design of, 4D-20
 - illumination of, 4D-20
 - number of, 4D-16-18
- Signal timing
 - defined, 4A-3
- Signal visors
 - defined, 4A-3
- Signal warrants
 - for bicycle facilities, 9D-1
 - defined, 4A-3
- Signalized method
 - for haul road crossings, 6H-22
- Signs. *See also* Guide signs, conventional roads; Guide signs, freeways and expressways; Highway signs; Regulatory signs; Warning signs
 - for bicycle facilities, 9B-1-14
 - borders, 2A-8
 - changeable message, 1A-11, 2A-3
 - classification of, 2A-2
 - colors for 2A-5, 7
 - defined, 1A-14
 - definitions, 2A-1
 - design of 2A-2
 - dimensions for, 2A-5-6
 - emergency management, 2I-1-5
 - excessive use of, 2A-2
 - function and purpose of, 2A-1
 - for highway-light rail transit grade crossings, 10C-1-9
 - illumination, 2A-3-5
 - lateral offset, 2A-13
 - legislative requirements, A1-2
 - lettering, 2A-8
 - location of, 2A-8-11
 - maintenance, 2A-14
 - median opening treatments for divided highways with wide medians, 2A-14
 - mounting height, 2A-12, 7B-1
 - mountings, 2A-13-14, 9B-1
 - orientation, 2A-13
 - overhead sign installations, 2A-11-12
 - posts and mountings, 2A-13-14
 - recreational and cultural interest area signs, 2H-1-12
 - retroreflectivity, 2A-3-5
 - school areas, 7B-1-21
 - shapes for, 2A-5, 6
 - Specific Service, 2F-1-6
 - Standardization of application, 2A-1
 - STOP, 2B-1, 6-8, 9-10
 - symbols for, 2A-7-8
 - for temporary traffic control, 6F-1-26
 - tourist-oriented generator directional, 2G-1-9
 - traffic incident management, 6I-2
 - word messages, 2A-8
- Simultaneous preemption
 - defined, 8A-2
- Single-exit interchanges, 2F-5
- Size of signs
 - for conventional road guide signs, 2D-1
 - emergency management signing, 2I-1
 - freeway and expressway guide signs, 2E-5
 - highway-rail grade crossings, 8B-1, 2-3
 - pedestrian signal indications, 4E-2
 - recreational and cultural interest area symbol signs, 2H-3
 - regulatory signs, 2B-1, 2-6
 - school signs, 7B-1, 2
 - Specific Service signs, 2F-2-3
 - for temporary traffic control, 6F-3-6
 - traffic control devices, low-volume roads, 5A-1-3
 - warning signs, 2C-1, 3
- Skewed Crossing signs, 8B-10
- highway-light rail transit grade crossings, 10C-8
- Slippery When Wet signs, 2C-16
- Slow Moving Traffic Lane signs, 2B-42
- SLOW TRAFFIC AHEAD signs, 6F-19
- SLOWER TRAFFIC KEEP RIGHT signs, 2B-42
- SNOW EMERGENCY ROUTE, 2B-62
- SOFT SHOULDER signs, 2C-15, 16, 6F-22, 6G-5
- Solid lines
 - lane line markings, 3B-59
- SOUTH. *See* Cardinal directions
- Special needs modifications
 - for temporary traffic control, 6G-3-4
- Specific Services Signing (LOGO) Program, 2F-2
- Specific Service signs
 - application, 2F-2
 - defined, 2F-2
 - eligibility, 2F-1
 - at interchanges, 2F-5
 - at intersections, 2F-6
 - lettering size, 2F-5
 - locations for, 2F-4
 - logos and logo panels, 2F-2
 - number and size of logos and signs, 2F-2-3
 - signing policy, 2F-6
- "Specification for Structural Supports for Highway Signs, Luminaires, and Traffic Signals," 2B-16
- Speed
 - advisory speed signs, 2C-8
 - Curve Speed signs, 2C-25
 - defined, 1A-14
 - Exit Speed signs, 2C-25, 26, 27, 28, 29
 - measurement markings, 3B-83
 - Ramp Speed signs, 2C-25, 26, 27, 28, 29
- SPEED HUMP signs, 2C-15, 16
- Speed humps
 - pavement markings, 3B-93, 96-97
- Speed limit
 - defined, 1A-14
 - Statutory speed limit, 2B-18
- Speed Limit Sign beacons
 - defined, 4A-3
- Speed Limit signs, 2B-16, 18-19
 - changeable message signs, 2B-19
 - location of 2B-21
 - MAINTAIN TOP SAFE SPEED signs, 2I-3-4
 - minimum, 2B-19
 - school areas, 7B-12, 19-20
 - standard for, 2B-16, 18-19
 - for trucks, 2B-19
 - use of, 5B-1
- Speed measurement marking
 - defined, 1A-14
- Speed Reduction signs, 2C-18-19
- Speed zone
 - defined, 1A-14

- Spur routes
 - interchange numbering, 2E-26
- “Standard Highway Signs,” 1A-8, 7B-1
- “Standard Specifications for Movable Highway Bridges,” 1A-8
- Standing prohibition signs
 - design of, 2B-60, 62
 - examples of, 2B-60
 - placement of, 2B-63
- State Law Stop for Pedestrians Within Crosswalk signs, 2B-18
- State Law Yield to Pedestrians Within Crosswalk signs,
 - not used in MD
- State Route signs
 - design of, 2D-5
- State Uniform Traffic Laws and Ordinances
 - “Maryland Vehicle Law”, 1A-3
- Statutory speed
 - defined, 1A-14, 2B-18
- STAY IN LANE signs, 6F-12
- Steady-Burn electric lamps
 - for temporary traffic control, 6F-42
- Steady signal indications
 - application of, 4D-3-8
 - for left turns, 4D-5-7
 - prohibited, 4D-8
 - for right turns, 4D-7-8
- Steady (steady mode)
 - defined, 4A-3
- Stop
 - color code, 1A-10
- Stop Ahead signs
 - Use of, 2B-7
 - highway-light rail transit grade crossings, 10C-2-4
 - for low-volume roads, 5C-1
- Stop beacons
 - defined, 4A-3
 - use of, 4K-2
- STOP HERE ON RED signs, 2B-68, 69, 8B-7, 6H-32, 10C-3, 4
- STOP HERE WHEN FLASHING signs, 8B-6, 7, 10C-3, 4
- Stop for School Bus, 7B-2
- Stop Here to Pedestrians signs, 2B-16
- Stop lines
 - defined, 1A-14
 - highway-light rail transit grade crossings, 10C-9
 - highway-rail grade crossings, 8B-10
 - for school areas, 7C-1
 - use of, 3B-60-65
- STOP sign control
 - Guidelines of STOP to YIELD Control, 2B-7.8
 - Reverse the direction of STOP sign control, 2B-7
- STOP signs
 - applications, 2B-6-7
 - BE PREPARED TO STOP signs, 2C-17-18, 6H-24, 30, 58, 96
 - for bicycle facilities, 9B-1-2
 - for highway-light rail transit grade crossings, 10B-1, 10C-2-4
 - at highway-rail grade crossings, 5F-1
 - for highway-rail grade crossings, 8B-6
 - multiway, 2B-9-10
 - NEW TRAFFIC PATTERN AHEAD signs, 2B-7
 - NOTICE /CROSS TRAFFIC WILL NOT STOP EFFECTIVE XXXX signs, 2B-7
 - NOTICE /THIS STOP SIGN SHALL BE REMOVED EFFECTIVE XXXX signs, 2B-7
 - for one-lane, two-way traffic control, 6C-12
 - placement of, 2B-8-10
 - portable or part-time, 2B-6
 - STOP HERE WHEN FLASHING, 8B-6, 7
 - use of, 5B-1
 - work in vicinity of entrance ramp, 6H-84
- STOP/SLOW paddles, 6F-1-2, 7E-2
- Stopping prohibition signs
 - design of, 2B-60, 61, 62
 - DO NOT STOP ON TRACKS, 10C-3, 4, 8B-5-6
 - DO NOT STOP ON TRACKS signs, 2B-68
 - EMERGENCY STOPPING ONLY signs, 2B-62, 63
 - examples of, 2B-60
 - placement of, 2B-63
 - school areas, 7B-21
- Storage Space signs
 - highway-light rail transit grade crossings, 10C-8
 - highway-rail grade crossings, 8B-9-10
- Straight Through Only signs, 2B-28
- STREET CLOSED signs, 6H-42-43
- Street Name signs, 2D-21-23
- Streets. *See also* Highways; Roads
 - Advance Street Name plaques, 2C-30, 35
 - Advance Street Name signs, 2D-23-24
 - arterial, 1A-11
 - detour for closed street, 6H-44-45
 - interior lane closure on multi-lane street, 6H-64-65
 - major, 1A-13, 4A-2
 - minor, 1A-13, 4A-2, 6H-40-41
 - Street Name signs, 2D-21-23, 6H-44
 - with uneven directional volumes, 6H-66-67
 - urban, 1A-15, 6G-7-8
- Stripes
 - on barricades, 6F-34
 - legislative requirements, A1-2
 - NO CENTER STRIPE signs, 6F-22
- Student patrols
 - choice of, 7E-2
 - operating procedure for, 7E-2
 - “Policies and Practices for School Safety Patrols,” 7E-1
 - school crossing supervision, 7E-1, 2
- Supplemental Arrow plaques, 2C-35
- Supplemental plaques
 - Advance Street Name, 2C-30, 35
 - Advisory Speed, 2C-15, 34
 - for bicycle route signs, 9B-14
 - CROSS TRAFFIC DOES NOT STOP, 2C-31, 35-36
 - design of 2C-34
 - Distance, 2C-34, 6F-23-24
 - High-Occupancy Vehicle (HOV), 2C-36
 - Hill-Related, 2C-35
 - Mandatory Movement Lane Control, 2B-27
 - Nonvehicular warning signs, 2C-34
 - PHOTO ENFORCED, 2C-35, 36
 - SCHOOL ZONE, 2B-20
 - SHARE THE ROAD, 2C-35, 36, 9B-9
 - Supplemental Arrow, 2C-35
 - TRAFFIC CIRCLE, 2C-30, 31
 - truck escape ramps, 2C-11, 12
 - use, 2C-33
 - WHEN CHILDREN (WORKERS) ARE PRESENT, 2B-20
 - WHEN FLASHING, 2B-20
 - WORK ZONE, 2B-20
- Supplemental signs
 - freeway and expressway guide signs, 2E-30-31, 32, 33
 - “Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways,” 2E-30
- SURVEY CREW signs, 6F-21
- Surveying
 - along centerline of road with low traffic volume, 6H-36-37
- Symbol signs
 - Airport, 2D-30
 - Emergency Medical Services, 2D-28
 - freeway and expressway signs, 2E-7, 9
 - International Symbol of Accessibility for the Handicapped, 2D-28
 - Mandatory Movement Lane Control, 2B-28
 - recreational and cultural interest areas, 2H-3, 7-12
 - Recycling Collection Center, 2D-30
 - temporary traffic control, 6F-19-20
- Symbols
 - bicycle detector, 9C-5, 10
 - category chart for recreational and cultural interest area symbols, 2H-2

diamond, 2B-75
 pavement markings, 3B-70, 72, 74-83, 9C-4
 for pedestrian signal indications, 4E-2
 preferential lane markings, 3B-87-88, 92
 school areas, 7C-2-3
 seat belt, 2B-75
 for signs, 2A-7-8
 on typical application diagrams, 6H-4

T

T-Intersection signs, 2C-30
 T-Symbol signs, 2C-30, 31
 Tactile devices
 vibrotactile pedestrian devices, 4A-4, 4E-5
 Tapers
 length, 3B-8, 50, 6H-5
 for temporary traffic control, 6C-6-9, 6H-46
 Taxis
 preferential lane signs, 3B-88
 Telephone signs, 2D-28, 2E-56, 57
 TEMPORARY auxiliary signs, 2D-8
 Temporary traffic control
 accessibility considerations, 6D-3-4
 acronym “TTC” for, 6A-1
 activity area, 6C-5-6
 advance warning areas, 6C-2-3
 Advisory Speed plaques, 6F-22-23
 arrow panels, 6F-26-28
 barricades, Type I, II, or III, 6F-34-35, 6H-32
 barriers, 6F-36, 43, 6G-9, 6H-14
 blasting area signs, 6F-21
 BLASTING ZONE AHEAD signs, 6F-21
 blasting zones, 6H-8-9
 buffer spaces, 6C-6
 CENTER LANE CLOSED AHEAD signs, 6F-18
 characteristics of signs, 6F-1-2
 closure at side of intersection, 6H-58-59
 closure in center of intersection, 6H-56-57
 color code, 1A-10
 components of 6C-2
 cones, 6F-30-31
 crash cushions, 6F-44-45
 crossovers, 6G-11
 crosswalk closures, 6H-62-63
 delineators, 6F-40
 detectable edging for pedestrians, 6F-37
 detour for closed street, 6H-44-45
 detour for one travel direction, 6H-42-43
 DETOUR signs, 6F-14, 24
 Detours, 6C-9, 6F-14, 24
 Direction Indicator barricades, 6F-35
 Double lane closure on freeway, 6H-78-79
 Double Reverse Curve signs, 6F-22
 Drums, 6F-33-34
 elements of, 6C-1-12
 END BLASTING ZONE signs, 6F-21
 END ROAD WORK signs, 6F-24
 EXIT OPEN, EXIT CLOSED, EXIT ONLY SIGNS, 6F-19
 flagger control, 6C-10-11, 6E-1-4
 Flagger signs, 6F-19-20
 flashing warning beacons, 6F-41
 floodlights, 6F-40-41, 6H-32
 FRESH OIL (TAR) signs, 6F-20
 “Functional Guidelines for Portable Changeable Message Signs”, 6F-26
 fundamental principles, 6B-1-2
 future and experimental devices, 6F-46
 guide signs, 6F-2, 23
 “Guidelines for Work Zone on 65/60 mph Roadways”, 6H-1
 half road closure on far side of intersection, 6H-52-53
 half road closure on multi-lane, high-speed highway, 6H-68-69
 haul road crossing, 6H-32-33
 high-level warning devices (flag trees), 6F-29
 “Interagency Work Zone Service Agreement”, 6A-2
 interchanges, 6G-12
 interior lane closure on freeway, 6H-80-81
 interior lane closure on multi-lane street, 6H-64-65
 lane closure on minor street, 6H-40-41
 lane closure on near side of intersection, 6H-46-47
 lane closure on street with uneven directional volume, 6H-66-67
 lane closure on two-lane road using flaggers, 6H-24-25
 lane closure on two-lane road using traffic control signals, 6H-28-29
 lane closure on two-lane road with low traffic volumes, 6H-26-27
 lane closure with temporary traffic barrier, 6H-72-73
 Lane Ends signs, 6F-19
 Lane shift on freeway, 6H-76-77
 Lane(s) Closed signs, 6F-18
 left lane closure on far side of intersection, 6H-50-51
 lighting devices, 6F-40-42
 Local Traffic Only signs, 6F-11-12
 location of work, 6G-3
 longitudinal channelizing barricades, 6F-36-37
 LOW SHOULDER signs, 6F-22, 6G-5
 “Maryland State Highway Administration’s NCHRP 350 Compliant Required & Approved Equipment List”, 6F-8
 “Maryland Work Zone Traffic Control Typicals”, 6H-1
 meaning of symbols on typical application diagrams, 6H-4
 median crossover for entrance ramp, 6H-84-85
 median crossover for exit ramp, 6H-86-87
 median crossover on freeway, 6H-82-83
 mobile operation on multi-lane road, 6H-74-75
 mobile operations on two-lane road, 6H-38-39
 Motorized Traffic signs, 6F-20
 movable barriers, 6G-12
 multiple lane closures at intersection, 6H-54-55
 during nighttime hours, 6G-13
 NO CENTER STRIPE signs, 6F-22
 one-lane, two-way, 6C-10-11
 ONE LANE ROAD signs, 6F-14, 6H-24
 opposing traffic lane dividers, 6F-38
 overlapping routes with detour, 6H-22-23
 partial exit ramp closure, 6H-90-91
 pavement markings, 6F-38
 pedestrian considerations, 6D-1-4
 PEDESTRIAN CROSSWALK signs, 6F-12
 pedestrian detours, 6H-62-63
 PILOT CAR FOLLOW ME signs, 6C-11, 6F-24
 placement of signs, 6F-2, 7-8, 10
 plans for, 6C-1-2
 “Policy/Guidelines for the Use of Portable Moveable Concrete Barrier System”, 6G-12
 portable changeable message signs, 6F-25-26
 raised pavement markers, 6F-39
 RAMP NARROWS signs, 6F-19
 ON RAMP plaques, 6F-19
 regulatory sign applications, 6F-11
 regulatory sign authority, 6F-11
 regulatory sign design, 6F-11
 regulatory signs, 6F-1, 9-13
 responsibility for, 6A-1
 right lane closure on far side of intersection, 6H-48-49
 road closure with diversion, 6H-18-19
 road closure with off-site detour, 6H-20-21
 ROAD MACHINERY AHEAD signs, 6F-20
 ROAD (STREET) CLOSED signs, 6F-11, 6F-14
 ROAD (STREET) WORK signs, 6F-14
 ROAD WORK NEXT XX km (MILES) signs, 6F-23-24
 rumble strips, 6F-45
 screens, 6F-46

- design of, 5A-1
- function, 5A-1
- guide signs, 5D-1
- Highway-Rail Grade Crossing advance Warning signs, 8B-4-5
- highway-rail grade crossings, 5F-1-2
- markings, 5E-1
- minimum sign sizes, 5A-2-3
- placement of 5A-4
- regulatory signs, 5B-1-2
- temporary traffic control zones, 5G-1-2
- warning signs, 5C-1-4
- “Traffic Control Devices Handbook,” 1A-10
- TRAFFIC CONTROL POINT signs, 2I-2-3
- Traffic control signal monitoring system, 4A-4
- Traffic control signals. *See also* Traffic signals
 - adequate roadway capacity, 4B-2
 - advantages of, 4B-1-2
 - alternatives to, 4B-2
 - auxiliary traffic signal signs, 4D-21
 - color of signal sections, 4D-19-21
 - coordinated signal system analysis, 4C-1, 8
 - coordination of, 4D-13
 - crash experience analysis, 4C-1, 8-9
 - defined, 1A-15, 4A-3, 4B-1
 - design of signal sections, 4D-20
 - disadvantages of, 4B-1-2
 - eight-hour vehicular volume analysis, 4C-1, 2-4
 - for emergency vehicle access, 4F-1-2
 - features of, 4D-1-21
 - flashing operation of, 4D-10-11
 - flashing signal indications, 4D-9, 10
 - four-hour vehicular volume analysis, 4C-1, 4, 5
 - for freeway entrance ramps, 4H-1
 - for highway-light rail transit grade crossings, 10D-3-5
 - illumination of signal sections, 4D-20
 - installation of, 4B-1
 - lane closures on two-lane roads, 6H-28-29
 - lane-use, 4J-1-4
 - lateral placement of signal supports and cabinets, 4D-20-21
 - location of signal faces by approach, 4D-13-16
 - meaning of vehicular signal indications, 4D-2-3
 - for movable bridges, 4I-1-3
 - needs studies, 4C-1-9
 - number and arrangement of signal sections in vehicular traffic control signal faces, 4D-16-18
 - number of signal faces by approach, 4D-13-16
 - for one-lane, two-way facilities, 4G-1
 - at or near highway-rail grade crossings, 8D-6-7
 - peak hour analysis, 4C-1, 4, 6, 7
 - pedestrian volume analysis, 4C-1, 6
 - positioning of signal faces, 4D-18, 20
 - preemption control, 4D-11-13
 - priority control, 4D-11-13
 - provisions for pedestrians, 4D-2
 - red clearance intervals, 4D-9
 - removal of, 4B-1
 - responsibility for operation and maintenance, 4D-1-2
 - roadway network analysis, 4C-1, 9
 - school crossing analysis, 4C-1, 6, 8
 - shielding of signal faces, 4D-18, 20
 - “Signal Design Manual”, 4A-1
 - size of signal faces by approach, 4D-13-16
 - steady signal indications, 4D-3-8
 - temporary, 4D-21, 6F-42-43
 - unexpected conflicts during green or yellow intervals, 4D-8
 - use of, 4B-1-2
 - “Vehicle Traffic Control Signal Heads,” 1A-10
 - visibility of signal faces, 4D-18, 20
 - yellow change intervals, 4D-8-10
- Traffic control zones, temporary. *See* Temporary traffic control zones
- “Traffic Detector Handbook,” 1A-10
- “Traffic Engineering Handbook,” 1A-10
- “Traffic Engineering Metric Conversion Folders—Addendum to the Guide to Metric Conversion,” 1A-8
- TRAFFIC FROM LEFT (RIGHT) DOES NOT STOP plaques, 2C-36
- Traffic Generators, 2G-1-4
- Traffic Information signs, 2E-63
- TRAFFIC LAWS PHOTO ENFORCED signs, 2B-10, 70
- Traffic movement and prohibition signs, 5B-1
- “Traffic Signal Lamps,” 1A-10
- Traffic signal signs
 - use of, 2B-67-70, 2C-30-31
- Traffic signal speed signs, *not used in MD*
- Traffic signals. *See also* Highway traffic signals; Traffic control signals
 - defined, 4A-3
 - “Emergency Vehicle Pre-emption and Emergency Traffic Signals Suggested Guideline”, 4F-1
 - “Manual of Traffic Signal Design,” 1A-8
 - “Signal Design Manual”, 4A-1
- Trail signs, 2D-35
- Trailblazer assemblies
 - for conventional roads, 2D-18
 - for freeways and expressways, 2E-22-23
- Trailblazer signs
 - Airport, 2D-30, 33
- Train detection devices, 8D-6
- Trains
 - Defined, 1A-15
- TRAINS MAY EXCEED 130 km/h (80 MPH) signs, 8B-7, 9
- Transition areas
 - for temporary traffic control, 6C-5
- Transportation Research Board
 - “Highway Capacity Manual,” 1A-10
 - “Recommended Procedures for the Safety Performance Evaluation of Highway Features,” 1A-10
- Transverse markings
 - defined, 1A-15
 - use of, 3B-60
- TRAVEL INFO CALL 511 signs, 2D-29
- Traveled ways
 - defined, 1A-15
- TRB. *See* Transportation Research Board
- TRUCK auxiliary signs, 2D-8
- Truck escape ramps
 - delineators, 3D-2
 - signs, 2C-11, 12
- TRUCK LANE signs, 2B-42
- TRUCK PARKING signs, 2D-28, 29, 2E-58
- Truck Rollover Warning signs, 2C-8, 10
- TRUCK ROUTE signs, 2B-74
- Truck Speed Limit signs, 2B-19
- Trucks
 - ALL TRUCKS/COMMERCIAL VEHICLES NEXT RIGHT signs, 2B-73
 - AXLE WEIGHT LIMIT signs, 2B-71
 - escape ramp signs, 2C-11, 12
 - Low Trucks Bottom Out sign, 2C-36
 - Motorized Traffic signs, 6F-20
 - National Network routes, 2B-74
 - RUNAWAY VEHICLES ONLY signs, 2C-11, 12
 - TRUCKS DO NOT PASS signs, 2B-41
 - TRUCKS PASS WITH CARE signs, 2B-41
 - Truck Rollover Warning signs, 2C-8, 10
 - TRUCK ROUTE signs, 2B-74
 - vertical grade signs, 2C-11
 - Weight Station signs 2B-73-74, 2D-26-27, 22, 2E-64
 - Weight Limit signs, 2B-71, 72, 73
- Trucks Speed Limit signs, 2B-19
- TRUCKS USE RIGHT LANE signs, 2B-72
- TRUCKS (VEHICLES) WITH LUGS PROHIBITED signs, 2B-45, 51
- TTT. *See* Temporary traffic control
- Tubular markers
 - retroreflectivity, 3F-1, 6F-32
 - for temporary traffic control, 6F-32-33

use of, 3F-1

TURN OFF 2-WAY RADIO AND CELL PHONE signs, 6F-21

Turn or curve warning signs, 9B-7

Turn prohibition signs, 2B-21-25, 68, 69 70, 8B-5, 10C-3, 5

Turn signs, 2C-4, 7, 8, 9, 25

TURNING TRAFFIC MUST YIELD TO PEDESTRIANS signs, 2B-69, 70

Two-Direction Large Arrow signs, 2C-30-31

Two-lane roads

- lane closures on two-lane with low traffic volumes, 6H-26-27
- lane closures using flaggers, 6H-24-25
- lane closures using traffic control signals, 6H-28-29
- mobile operations on two-lane road, 6H-38-39

Two-Way Left Turn Only signs, 2B-31-32

Two-way roadways

- centerline markings, 3B-1-3, 6-8
- no-passing zones, 3B-1-10
- work within the traveled way of two-lane highways, 6G-6-7

Two-Way Traffic signs, 2C-20, 21, 6F-20

Two-way turns

- WHITE TWO-WAY LEFT TURN ARROW, 4J-1-3
- “2000 AREMA Communications & Signals Manual,” 1A-8

Typical applications

- blasting zones, 6H-8-9
- closure at side of intersection, 6H-58-59
- closure in center of intersection, 6H-56-57
- crosswalk closures, 6H-62-63
- description, 6H-1
- detour for closed street, 6H-44-45
- detour for one travel direction, 6H-42-43
- double lane closure on freeway, 6H-78-79
- formulas for determining taper lengths, 6H-5
- half road closure on far side of intersection, 6H-52-53
- half road closure on multi-lane, high-speed highway, 6H-68-69
- haul road crossing, 6H-32-33
- index to, 6H-2-3
- interior lane closure on freeway, 6H-80-81
- interior lane closure on multi-lane street, 6H-64-65
- lane closure on minor street, 6H-40-41
- lane closure on near side of intersection, 6H-46-47
- lane closure on street with uneven directional volume, 6H-66-67
- lane closure on two-lane road using flaggers, 6H-24-25
- lane closure on two-lane road using traffic control signals, 6H-28-29
- lane closure on two-lane road with low traffic volumes, 6H-26-27
- lane closure with temporary traffic barrier, 6H-72-73
- lane shift on freeway, 6H-76-77
- left lane closure on far side of intersection, 6H-50-51
- meaning of symbols on typical application diagrams, 6H-4
- median crossover for entrance ramp, 6H-84-85
- median crossover for exit ramp, 6H-86-87
- median crossover on freeway, 6H-82-83
- mobile operation on multi-lane road, 6H-74-75
- mobile operations on two-lane road, 6H-38-39
- multiple lane closures at intersection, 6H-54-55
- overlapping routes with detour, 6H-22-23
- partial exit ramp closure, 6H-90-91
- pedestrian detours, 6H-62-63
- right lane closure on far side of intersection, 6H-48-49
- road closure with diversion, 6H-18-19
- road closure with off-site detour, 6H-20-21
- short-duration or mobile operation on shoulder, 6H-12
- shoulder closure on freeway, 6H-14-15
- shoulder work with minor encroachment, 6H-16-17
- sidewalk closures and bypass sidewalks, 6H-60-61
- stationary lane closure on divided highway, 6H-70-71
- surveying along centerline of road with low traffic volumes, 6H-36-37
- temporary reversible lane using movable barriers, 6H-94-95
- temporary road closure, 6H-30-31
- of temporary traffic control zones, 6G-1
- work beyond the shoulder, 6H-6-7
- work in center of road with low traffic volumes, 6H-34-35
- work in vicinity of entrance ramp, 6H-92-93
- work in vicinity of exit ramp, 6H-88-89

work in vicinity of highway-rail grade crossing, 6H-96-97

work on shoulders, 6H-10

U

U-TURN YIELD TO RIGHT TURN signs, 2B-69, 70

UNEVEN LANES signs, 6F-22

Uniform Vehicle Code

- “Uniform Vehicle Code (UVC) and Model Traffic Ordinance,” 1A-10

Uniformed law enforcement officers

- for school crossings, 7E-2

Uniformity of devices, A1-2

Unlawful to Pass Stopped School Bus, 7B-2

UPRAISED HAND, 4D-4, 8, 4E-1-2, 5-6, 9

Urban areas

- diamond interchanges, 2E-45-46, 48
- guide sign characteristics, 2E-2

Urban streets

- defined, 1A-15
- temporary traffic control, 6G-7

U.S. Access Board

- “Accessible Pedestrian Signals,” 1A-10
- “The Americans with Disabilities Act Accessibility Guidelines for Buildings and Facilities (ADAAG),” 1A-10
- “Building a True Community – Final Report – Public Rights-of-Way Access Advisory Committee (PRWAAC),” 1A-10

U.S. Department of Transportation

- “Highway-Rail Intersection Architecture,” 1A-10

U.S. Environmental Protection Agency

- inherently low emission vehicle certification, 1A-12

U.S. Route signs

- design of, 2D-5

USE CROSSWALK signs, 2B-67

USE LANE(S) WITH GREEN ARROW signs, 2B-68, 69

UTILITY WORK signs, 6F-21

UVC. *See* uniform Vehicle Code

V

VAN ACCESSIBLE signs, 2B-60, 61

Vehicle-arresting systems

- for temporary traffic control, 6F-45

Vehicle intrusion detection devices

- defined, 8A-2

“Vehicle Traffic Control Signal Heads,” 1A-10

Vehicles. *See also* High-occupancy vehicles

- defined, 1A-15
- design vehicles, 8A-1
- vehicle intrusion detection devices, 8A-2

Vehicular Traffic signs, 2C-31, 32, 5C-2, 6F-20

Verbal messages

- pedestrian signals, 4E-5

Vertical grade signs, 2C-11

Vertical panels

- for temporary traffic control, 6F-33

Vibrotactile pedestrian devices

- defined, 4A-4
- uses of, 4E-5

Visibility-limited signal face or signal section

- defined, 4A-4

W

W1-1-5 signs. *See* Horizontal Alignment signs

W1-6 signs. *See* One-Direction Large Arrow signs

- W1-7 signs. *See* Two-Direction Large Arrow signs
W1-8 signs. *See* Chevron Alignment signs
W1-10 signs. *See* Combination Horizontal Alignment/Intersection signs
W1-11 signs. *See* Horizontal Alignment signs
W1-13 signs. *See* Truck Rollover Warning signs
W1-15 signs. *See* Horizontal Alignment signs
W1 Series. *See* Turn or curve warning signs
W2-1-6 signs. *See* Intersection Warning signs
W2 Series. *See* Intersection Warning signs
W3-1-4 signs. *See* Advance Traffic Control signs
W3-4 signs. *See* BE PREPARED TO STOP signs
W3-5, 5a signs. *See* Speed Reduction signs
W4-1-5 signs. *See* Merge signs
W4-2 signs. *See* LANE ENDS signs
W4-3 signs. *See* Added Lane signs
W4-4p plaques. *See* CROSS TRAFFIC DOES NOT STOP plaques
W4-7 signs. *See* THRU TRAFFIC MERGE LEFT (RIGHT) signs
W5-1 signs. *See* ROAD NARROWS signs
W5-2 signs. *See* NARROW BRIDGE signs
W5-3 signs. *See* ONE LANE BRIDGE signs
W5-4 signs. *See* RAMP NARROWS signs
W5-4a signs. *See* BIKEWAY NARROWS signs
W6-1 signs. *See* Divided Highway (Road) signs
W6-2 signs. *See* Divided Highway (Road) Ends signs
W6-3 signs. *See* Two-Way Traffic signs
W7-1, 1a, 1b signs. *See* Hill signs
W7-2-3 Series plaques. *See* Hill-Related plaques
W7-3a plaques. *See* Distance plaques
W7-3(1) plaques. *See* X% Grade plaques
W7-4 Series. *See* Truck escape ramps, signs
W7-6 signs. *not used in MD*
W8-1 signs. *See* BUMP signs
W8-2 signs. *See* DIP signs
W8-3 signs. *See* PAVEMENT ENDS signs
W8-4 signs. *See* Soft Shoulder signs
W8-5 signs. *See* Slippery When Wet signs
W8-6 signs. *See* Vehicular Traffic signs
W8-9 signs. *See* LOW SHOULDER signs
W8-9a signs. *See* SHOULDER DROP OFF signs
W8-10 signs. *See* Bicycle surface Condition Warning signs
W8-11 signs. *See* UNEVEN LANES signs
W8-12 signs. *See* NO CENTER STRIPE signs
W8-13 signs. *See* BRIDGE ICES BEFORE ROAD signs
W9-1 signs. *See* LANE ENDS signs
W9-2 signs. *See* LANE ENDS signs
W9-3 signs. *See* CENTER LANE CLOSED AHEAD signs
W10-12 signs. *See* Skewed Crossing signs
W10 Series. *See* Highway-Rail Grade Crossing Advance Warning signs
W11-1 signs. *See* Vehicular Traffic signs
W11-2-4 signs. *See* Nonvehicular signs
W11-5, 5a signs. *See* Vehicular Traffic signs
W11-6-7 signs. *See* Nonvehicular signs
W11-8 signs. *See* Vehicular Traffic signs
W11-9 signs. *See* Nonvehicular signs
W11-10 signs. *See* Vehicular Traffic signs
W11-11 signs. *See* Vehicular Traffic signs
W11-12p signs. *See* Vehicular Traffic signs
W11-14 signs. *See* Vehicular Traffic signs
W12-1 signs. *See* Double Arrow signs
W12-2 *series*. *See* Low Clearance signs
W13-1 plaques. *See* advisory Speed plaques
W13-2 signs. *See* Exit Speed signs
W13-3 signs. *See* Ramp Speed signs
W13-4 plaques. *See* ON RAMP plaques
W13-5 signs. *See* Curve Speed signs
W14-1, 1a signs. *See* DEAD END/NO OUTLET signs
W14-2, 2a signs. *See* DEAD END/NO OUTLET signs
W14-3 signs. *See* NO PASSING ZONE signs
W15-1 signs. *See* Playground signs
W16-1 plaques. *See* SHARE THE ROAD plaques
W16-2-4 plaques. *See* Distance plaques
W16-5p plaques. *See* Supplemental Arrow plaques
W16-6p plaques. *See* Supplemental Arrow plaques
W16-7 plaques. *See* Supplemental Arrow plaques
W16-8, 8a plaques. *See* Advance Street Name plaques
W16-10 plaques. *See* PHOTO ENFORCED plaques
W16-11 plaques. *See* High-Occupancy Vehicle (HOV) plaques
W17-1 signs. *See* SPEED HUMP signs
W18-1 signs. *See* NO TRAFFIC signs
W20-1 signs. *See* ROAD (STREET) WORK signs
W20-2 signs. *See* DETOUR signs
W20-3 signs. *See* ROAD (STREET) CLOSED signs
W20-4 signs. *See* ONE LANE ROAD signs
W20-5 signs. *See* Lanes(s) Closed signs
W20-7 signs. *See* Flagger signs
W21-1 signs. *See* Workers signs
W21-2 signs. *See* FRESH OIL (TAR) signs
W21-3 signs. *See* ROAD MACHINERY AHEAD signs
W21-5 signs. *See* Shoulder Work signs
W21-6 signs. *See* SURVEY CREW signs
W21-7 signs. *See* UTILITY WORK signs
W22-1 signs. *See* BLASTING ZONE AHEAD signs
W22-2 signs. *See* TURN OFF 2-WAY RADIO AND CELL PHONE signs
W22-3 signs. *See* END BLASTING ZONE signs
W23-1 signs. *See* SLOW TRAFFIC AHEAD signs
W24 Series. *See* Double Reverse Curve signs
W25-1-2 signs. *See* Traffic signal signs
W96-6 signs. *See* Low Trucks Bottom Out signs
WALK/DON'T WALK signs, 2B-68
Walk interval
 defined, 4A-4
WALK ON LEFT FACING TRAFFIC signs, 2B-63
WALKING PERSON, 4D-4, 8, 4E-1-2, 5-6, 9
Warning
 color code, 1A-10
Warning beacons
 applications of, 4K-1-2
 defined, 4A-4
 flashing for temporary traffic control, 6F-41
 used with emergency-vehicle traffic control signals, 4F-2
Warning devices
 high-level, for temporary traffic control, 6F-29
Warning gates
 for movable bridges, 4A-2
Warning lights
 in-roadway, 4L-1-2
 "Purchase Specification for Flashing and Steady Burn Warning Lights," 1A-10, 6F-41
 for temporary traffic control, 6F-41-42
Warning signs
 Added Lane, 2C-19
 Advance Traffic Control, 2C-16, 17, 18, 6F-14
 advisory Exit, Ramp, and Curve Speed, 2C-18
 Advisory Speed, 2C-7-8, 18, 25, 31, 5C-4
 applications, 2C-1, 6F-13
 BE PREPARED TO STOP, 2C-17-18, 6H-24, 30, 58, 96
 for bicycle facilities, 9B-7-9
 BRIDGE ICES BEFORE ROAD, 2C-16
 BUMP and DIP, 2C-15
 categories of, 2C-2
 Chevron Alignment, 2C-7, 8, 9, 10, 25
 combination Horizontal Alignment/Advisory Speed, 2C-7, 8
 combination Horizontal Alignment/Intersection, 2C-7, 9
 CROSS TRAFFIC DOES NOT STOP plaques, 2C-31, 35-36
 DEAD END/NO OUTLET, 2C-14, 5C-4
 defined, 1A-15
 design, 2C-1, 6F-13
 Divided Highway, 2C-12-14
 Double Arrow, 2C-14
 DRAWBRIDGE AHEAD, 4I-1
 FIREHOUSE SIGNAL, 2C-32
 function of, 2C-1, 6F-13
 guidelines for advance placement of, 2C-5-6
 Highway-Rail Grade Crossing Advance Warning, 10C-4-7

- for highway-rail grade crossings, 8B-4-13
- HIKER BIKER TRAIL CROSSING, 2C-32, 9B-9
- Hill, 2C-10-11, 5C-1-2
- HILL BLOCKS VIEW, *not used in MD*
- Horizontal Alignment, 5C-1, 2, 2C-4, 7, 8, 9
- illumination, 2A-3-5
- Intersection Warning, 2C-30, 31, 5C-1, 2, 9B-7
- intersections, 2C-30, 31
- LANE ENDS, 2C-20, 21
- Low Clearance, 2C-13, 14-15
- for low-volume roads, 5C-1-4
- Low Trucks Bottom Out, 2C-36
- Merge, 2C-19, 20
- miscellaneous, 2C-13
- Motorized Traffic, 6F-20
- NARROW BRIDGE, 2C-12, 5C-1
- NO PASSING ZONE, 2C-20, 21
- NO TRAFFIC SIGNS, 5C-4
- Nonvehicular, 2C-32-33, 5C-2
- One-Direction Large Arrow, 2C-9
- ONE LANE BRIDGE, 2C-12, 13
- ONE-LANE BRIDGE, 5C-1
- passing, 2C-20
- PAVEMENT ENDS, 2C-15, 5C-2
- PIEV time, 2C-3-4
- placement of 2C-3-4, 5, 6
- Minimum Spacing between Warning Signs, 2C-7
- Playground, 2C-33
- recreational and cultural interest areas, 2H-1, 3
- retroreflectivity, 2A-3-5
- road condition and advance traffic control signs, 2C-14-16
- ROAD NARROWS, 2C-12, 13, 6H-62
- ROAD (STREET) WORK signs, 6F-14
- for schools, 7B-1-6
- Shoulder, 2C-15, 16
- Signal Ahead warning (NEW) Assembly, 2C-17
- size of, 2C-1, 3
- Slippery When Wet, 2C16
- SPEED HUMP, 2C-15, 16
- Speed Reduction, 2C-18-19
- Stop Ahead, 5C-1
- supplemental plaques, 2C-33-36
- temporary traffic control, 6C-2-4, 6F-2, 13-24
- traffic signal, 2C-30-31
- Truck Rollover Warning, 2C-8, 10
- turn or curve warning, 9B-7
- Two-Direction Large Arrow, 2C-30, 31
- Two-Way Traffic, 2C-20, 21
- Vehicular Traffic, 2C-31, 32, 5C-2
- vertical grade, 2C-11
- X% Grade, 2C-11
- Yield Ahead, 2B-12, 5C-1
- Warning systems
 - “Preemption of Traffic Signals at or Near Railroad Grade Crossings with Active Warning Devices,” 1A-8
- Warning times
 - minimum warning time-through train movements, 8A-2
- Warnings
 - color code, 1A-10
- Warrants
 - centerline markings, 3B-1-10
 - defined, 1A-15
 - no passing zones, 3B-1-10
 - signals, 4A-3
 - traffic control signal needs studies, 4C-1-9
- Water Recreation signs, 2H-1
- Wayside equipment
 - defined, 8A-2-3
- Weather Information signs, 2E-65-66
- Weigh Station signs
 - for conventional roads, 2D-26, 27
 - for freeways and expressways, 2E-66
 - use of, 2B-73-74
- Weight Limit signs, 2B-71-73, 6F-12
- Welcome Center signs
 - for freeways and expressways, 2E-63
- WELFARE CENTER signs, 2I-4
- WEST. *See* Cardinal directions
- WHEN CHILDREN (WORKERS) ARE PRESENT PLAQUES, 2B-20
- WHEN FLASHING plaques, 2B-20
- White
 - general meaning, 1A-10
 - longitudinal pavement markings, 3A-2, 3B-4-6, 14-41
 - for pavement use as traffic control devices, 3E-1
 - right edge line pavement markings, 3B-42
- WHITE ONE WAY LEFT-TURN ARROW, 4J-1-3
- WHITE TWO-WAY LEFT TURN ARROW, 4j-1-3
- Wide Edge Line Extension, 3A-2, 3
- Winding Road signs, 2C-4
- Winter Recreation signs, 2H-1
- Word message signs. *See also* Changeable message signs
 - abbreviations, 2A-8
 - standard wording and letters, 2A-8
- Word messages
 - BRIDGE OUT, 2B-71, 72
 - “CROSS TO MEDIAN,” 2B-68
- Words markings
 - pavement, 3B-70, 72, 74-83
 - preferential lane, 3B-87-88, 92
 - school areas, 7C-2-3
- Work duration
 - for temporary traffic control, 6G-1-3
- WORK ZONE plaques, 2B-20
- Work zones
 - beyond the shoulder, 6H-6-7
 - blasting zone, 6H-8-9
 - in center of road with low traffic volumes, 6H-34-35
 - closure at side of intersection, 6H-58-59
 - closure in center of intersection, 6H-56-57
 - crosswalk closures and pedestrian detours, 6H-62-63
 - detour for closed street, 6H-44-45
 - detour for one travel direction, 6H-42-43
 - double lane closure on freeway, 6H-78-79
 - half road closure on far side of intersection, 6H-52-53
 - half road closure on multi-lane, high-speed highway, 6H-68-69
 - haul road crossing, 6H-32-33
 - interior lane closure on freeway, 6H-80-81
 - interior lane closure on multi-lane street, 6H-64-65
 - lane closure on minor street, 6H-40-41
 - lane closure on near side of intersection, 6H-46-47
 - lane closure on street with uneven directional volumes, 6H-66-67
 - lane closure on two-lane road using flaggers, 6H-24-25
 - lane closure on two-lane road using traffic control signals, 6H-28-29
 - lane closure on two-lane road with low traffic volumes, 6H-26-27
 - lane closure with temporary traffic barrier, 6H-72-73
 - lane shift on freeway, 6H-76-77
 - left lane closure on far side of intersection, 6H-50-51
 - median crossover for entrance ramp, 6H-84-85
 - median crossover for exit ramp, 6H-86-87
 - median crossover on freeway, 6H-82-83
 - mobile operation on multi-lane road, 6H-74-75
 - mobile operations on shoulders, 6H-12-13
 - mobile operations on two-lane road, 6H-38-39
 - multiple lane closures at intersection, 6H-54-55
 - overlapping routes with detour, 6H-22-23
 - partial exit ramp closure, 6H-90-91
 - right lane closure on far side of intersection, 6H-48-49
 - road closure with diversion, 6H-18-19
 - road closure with off-site detour, 6H-20-21
 - short-duration work on shoulders, 6H-12-13
 - shoulder closure on freeway, 6H-14-15
 - shoulder work with minor encroachment, 6H-16-17
 - on shoulders, 6H-10-11
 - sidewalk closures and bypass sidewalks, 6H-60-61

- stationary lane closure on divided highway, 6H-70-71
- surveying along centerline of road with low traffic volumes, 6H-36-37
- temporary reversible lane using movable barriers, 6H-94-95
- temporary road closure, 6H-30-31
- work in vicinity of entrance ramp, 6H-92-93
- work in vicinity of exit ramp, 6H-88-89
- work in vicinity of highway-rail grade crossing, 6H-96-97
- work within the traveled way of urban streets, 6G-7
- Worker safety
 - key elements, 6C-5-6
 - temporary traffic control considerations, 6D-4-5
- Workers signs, 6F-20
- Wrong-way arrows
 - defined, 1A-15
- WRONG WAY signs, 2B-48-50, 9B-6
 - at interchange ramps, 2E-56

Y

- Y-Intersection signs, 2C-30
- Y-Symbol signs, 2C-30, 31
- Yellow
 - centerline pavement markings, 3B-1-10
 - general meaning, 1A-10
 - left edge line pavement markings, 3B-42
 - longitudinal pavement markings, 3B-8-12
 - for pavement use as traffic control devices, 3E-1
- YELLOW ARROW signals, 4D-3-8, 11, 16-18
- Yellow change intervals
 - defined, 4A-4
 - duration of, 4D-9-10
 - function of, 4D-9
- Yellow-red flashing mode, 4D-10-11
- Yellow signal indications
 - application of, 4D-3-8
 - flashing, 4D-10
 - flashing yellow, 4D-3
 - meanings, 4D-2-3
 - YELLOW X, 4J-1-3
- YIELD AHEAD markings, 3B-83, 85
- Yield Ahead signs, 2B-12
 - highway-light rail transit grade crossings, *not used in MD*
 - for low-volume roads, 5C-1
 - work in vicinity of entrance ramp, 6H-84
- Yield here to Pedestrians signs, 2B-10, 2B-11, *not used in MD*
- Yield lines
 - “Guideline for Using Edge Line Extensions and Yield Lines”, 3B-44
 - for school areas, 7C-2
 - use of, 3B-60-61
- YIELD signs
 - applications, 2B-12, 13
 - for bicycle facilities, 9B-1-2
 - Guidelines of STOP to YIELD Control, 2B-7,8
 - for highway-light rail transit grade crossings, *not used in MD*
 - at highway-rail grade crossings, *not used in MD*
 - for highway-rail grade crossings, *not used in MD*
 - for one-lane, two-way traffic control, 6C-11
 - placement of, 2B-15-16
 - use of, 5B-1
 - work in vicinity of entrance ramp, 6H-84
 - Yield Here to Pedestrians signs, *not used in MD*

